

PHP notice

Trying to get property of non-object

/opt/lampp/htdocs/limesurvey/framework/db/ar/CActiveRecord.php(658)

```
646     */
647     public function getActiveRelation($name)
648     {
649         return isset($this->getMetaData()->relations[$name]) ? $this->getMetaData()->relations[$name] : null;
650     }
651
652     /**
653      * Returns the metadata of the table that this AR belongs to
654      * @return CDbTableSchema the metadata of the table that this AR belongs to
655      */
656     public function getTableSchema()
657     {
658         return $this->getMetaData()->tableSchema;
659     }
660
661     /**
662      * Returns the command builder used by this AR.
663      * @return CDbCommandBuilder the command builder used by this AR
664      */
665     public function getCommandBuilder()
666     {
667         return $this->getDbConnection()->getSchema()->getCommandBuilder();
668     }
669
670     /**
```

Stack Trace

#0  /opt/lampp/htdocs/limesurvey/framework/db/ar/CActiveRecord.php(1518): CActiveRecord->getTableSchema()

#1  /opt/lampp/htdocs/limesurvey/application/controllers/admin/authentication.php(39): CActiveRecord->findByAttributes(array("name" => "Authdb"))

```
34     $this->_redirectIfLoggedIn();
35
36     // Make sure after first run / update the authdb plugin is registered and active
37     // it can not be deactivated
38     if (!class_exists('Authdb', false)) {
39         $plugin = Plugin::model()->findByAttributes(array('name'=>'Authdb'));
40         if (!$plugin) {
```

```

41         $plugin = new Plugin();
42         $plugin->name = 'Authdb';
43         $plugin->active = 1;
44         $plugin->save();

```

#2 unknown(0): **Authentication->index()**

#3 **|+** /opt/lampp/htdocs/limesurvey/framework/web/actions/CAction.php(108): **ReflectionMethod->invokeArgs**(Authentication, array())

#4 **E** /opt/lampp/htdocs/limesurvey/application/core/Survey_Common_Action.php(99): **CAction->runWithParamsInternal**(Authentication, ReflectionMethod, array("sa" => "login"))

```

094         $oMethod = new ReflectionMethod($this, $sDefault);
095     }
096
097     // We're all good to go, let's execute it
098     // runWithParamsInternal would automatically get the parameters of the method and populate them as required with the params
099     return parent::runWithParamsInternal($this, $oMethod, $params);
100 }
101
102 /**
103  * Some functions have different parameters, which are just an alias of the
104  * usual parameters we're getting in the url. This function just populates

```

#5 **E** /opt/lampp/htdocs/limesurvey/framework/web/CController.php(308): **Survey_Common_Action->runWithParams**(array("sa" => "login"))

#6 **|+** /opt/lampp/htdocs/limesurvey/framework/web/CController.php(286): **CController->runAction**(Authentication)

#7 **|+** /opt/lampp/htdocs/limesurvey/framework/web/CController.php(265): **CController->runActionWithFilters**(Authentication, array())

#8 **E** /opt/lampp/htdocs/limesurvey/application/controllers/AdminController.php(169): **CController->run**("authentication")

```

164         $this->redirect(array('/admin/authentication/sa/login'));
165     }
166
167     }
168
169     return parent::run($action);
170 }
171
172 /**
173  * Routes all the actions to their respective places
174  *

```

#9 **|+** /opt/lampp/htdocs/limesurvey/framework/web/CWebApplication.php(282): **AdminController->run**("authentication")

#10 **|+** /opt/lampp/htdocs/limesurvey/framework/web/CWebApplication.php(141): **CWebApplication->runController**("admin/authentication/sa/login")

#11 **|+** /opt/lampp/htdocs/limesurvey/framework/base/CApplication.php(180): **CWebApplication->processRequest**()

#12  /opt/lampp/htdocs/limesurvey/index.php(196): **CApplication->run()**

2014-10-02 18:18:54 Apache/2.4.9 (Unix) OpenSSL/1.0.1g PHP/5.5.11 mod_perl/2.0.8-dev Perl/v5.16.3 [Yii Framework](#)/1.1.15