

PHP Version 5.4.45

System	Linux isabella.lbn.kgix.net 3.14.19-9.kx.el6.x86_64 #1 SMP Tue Sep 23 22:35:58 EDT 2014 x86_64
Build Date	Sep 5 2015 09:30:48
Configure Command	'./configure' '--prefix=/usr/local/php54' '--mandir=/usr/man' '--with-config-file-path=/usr/local/php54/lib' '--with-config-file-scan-dir=/usr/local/php54/etc' '--with-pear=/usr/local/php54/pear' '--with-iconv' '--disable-ipv6' '--with-openssl=/usr/local/openssl-1.0.1g' '--with-zlib' '--enable-bcmath' '--with-bz2' '--enable-calendar' '--with-curl' '--with-db4' '--with-dbm' '--with-enchanted' '--with-curlwrappers' '--enable-exif' '--enable-ftp' '--with-kerberos' '--enable-intl' '--with-pcre-regex' '--with-libdir=lib64' '--with-gd' '--with-pspell' '--with-libedit' '--with-readline' '--with-jpeg-dir' '--with-png-dir' '--with-zlib-dir' '--with-xpm-dir' '--with-freetype-dir' '--with-t1lib' '--enable-gd-native-ttf' '--with-gettext' '--with-imap' '--with-imap-ssl' '--with-ldap' '--with-ldap-sasl' '--enable-mbstring' '--with-mcrypt' '--with-mhash' '--with-mysql=/usr' '--with-mysql-sock=/var/lib/mysql/mysql.sock' '--disable-mysqlnd' '--with-icu-dir=/usr' '--with-mysqli=/usr/bin/mysql_config' '--enable-pcntl' '--enable-sysvmsg' '--enable-sysvsem' '--with-pdo-mysql=/usr' '--with-pdo-pgsql' '--with-pgsql' '--enable-shmop' '--with-snmp=shared' '--enable-soap' '--with-tidy' '--enable-sockets' '--enable-wddx' '--with-xmlrpc' '--with-xsl=/usr/local/libxslt' '--with-libxml-dir=/usr/local/libxml2' '--enable-zip'
Server API	CGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/usr/local/php54/lib
Loaded Configuration File	/usr/local/php54/lib/php.ini
Scan this dir for additional .ini files	/usr/local/php54/etc
Additional .ini files parsed	/usr/local/php54/etc/extensions.ini, /usr/local/php54/etc/limits.ini
PHP API	20100412
PHP Extension	20100525
Zend Extension	220100525

Zend Extension Build	API220100525,NTS
PHP Extension Build	API20100525,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	disabled
DTrace Support	disabled
Registered PHP Streams	compress.zlib, compress.bzip2, dict, ftp, ftps, gopher, http, https, imap, imaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp, php, file, glob, data, phar, zip, ssh2.shell, ssh2.exec, ssh2.tunnel, ssh2.scp, ssh2.sftp
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, http.*

This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.4.0, Copyright (c) 1998-2014 Zend Technologies
with the ionCube PHP Loader (enabled) + Intrusion Protection from ioncube24.com (unconfigured) v5.0.10, Copyright (c) 2002-2015, by ionCube Ltd.

Configuration

bcmath

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.3, 15-Feb-2005

bz2_filter

bz2_filter support	bzip2.decompress, bzip2.compress
---------------------------	----------------------------------

calendar

Calendar support	enabled
-------------------------	---------

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	0	0
cgi.nph	0	0
cgi.redirect_status_env	<i>no value</i>	<i>no value</i>
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

Core

PHP Version	5.4.45
-------------	--------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	Off	Off
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	php_errorlog	php_errorlog
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	30709	30709

exit_on_timeout	Off	Off
expose_php	Off	Off
extension_dir	/usr/local/php54/lib/php/extensions	/usr/local/php54/lib/php/extensions
file_uploads	On	On
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	On	On
ignore_repeated_source	On	On
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/local/php54/pear	./usr/local/php54/pear
log_errors	On	On
log_errors_max_len	1024	1024
mail.add_x_header	On	On
mail.force_extra_parameters	no value	no value
mail.log	no value	no value
max_execution_time	60	60
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	2000	2000
memory_limit	256M	256M
open_basedir	no value	no value
output_buffering	no value	no value
output_handler	no value	no value
post_max_size	64M	64M
precision	14	14
realpath_cache_size	16K	16K

realpath_cache_ttl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report zend_debug	On	On
request_order	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
stats_collector	<i>no value</i>	<i>no value</i>
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	64M	64M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	7.37.0
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	No
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp
Host	x86_64-unknown-linux-gnu
SSL Version	OpenSSL/1.0.2e
ZLib Version	1.2.3

date

date/time support	enabled
"Olson" Timezone Database Version	2014.8

Timezone Database	internal
Default timezone	UTC

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	UTC	UTC

dba

DBA support	enabled
Supported handlers	dbm cdb cdb_make db4 inifile flatfile

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.8
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

enchant

enchant support	enabled
Version	1.1.0
Revision	\$Id: 0eb8144f76f6744a423c3c05eb51932caa4ca17e \$

ereg

Regex Library	Bundled library enabled
----------------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: 05041c5f0094cb46d9b516bd624d593b90cc38f9 \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5

filter

Input Validation and Filtering	enabled
Revision	\$Id: ad78b4a085153b8c7f4d6db5dc69df40e969c343 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.2.1
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.10
WBMP Support	enabled
XPM Support	enabled
libXpm Version	30411
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
-----------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

http

HTTP Support	enabled
Extension Version	1.7.4
Registered Classes	HttpUtil, HttpMessage, HttpRequest, HttpRequestPool, HttpRequestDataShare, HttpDeflateStream, HttpInflateStream, HttpResponse, HttpQueryString
Output Handlers	ob_deflatehandler, ob_inflatehandler, ob_etaghandler
Stream Filters	http.chunked_decode, http.chunked_encode, http.deflate, http.inflate

Used Library	Compiled	Linked
libcurl	7.30.0	7.37.0
libevent	disabled	disabled
libz	1.2.3	1.2.3

libmagic	disabled	disabled
----------	----------	----------

Persistent Handles			
Provider	Ident	Used	Free
http_request	N/A	0	0
http_request_datashare	GLOBAL	1	0
http_request_pool	N/A	0	0

Request Methods	
Registered	GET, HEAD, POST, PUT, DELETE, OPTIONS, TRACE, CONNECT, PROPFIND, PROPPATCH, MKCOL, COPY, MOVE, LOCK, UNLOCK, VERSION-CONTROL, REPORT, CHECKOUT, CHECKIN, UNCHECKOUT, MKWORKSPACE, UPDATE, LABEL, MERGE, BASELINE-CONTROL, MKACTIVITY, ACL,
Allowed	(ANY)

Directive	Local Value	Master Value
http.etag.mode	MD5	MD5
http.force_exit	1	1
http.log.allowed_methods	no value	no value
http.log.cache	no value	no value
http.log.composite	no value	no value
http.log.not_found	no value	no value
http.log.redirect	no value	no value
http.only_exceptions	0	0
http.persistent.handles.ident	GLOBAL	GLOBAL
http.persistent.handles.limit	-1	-1
http.request.datashare.connect	0	0
http.request.datashare.cookie	0	0
http.request.datashare.dns	1	1
http.request.datashare.ssl	0	0
http.request.methods.allowed	no value	no value
http.request.methods.custom	no value	no value
http.send.deflate.start_auto	0	0

http.send.deflate.start_flags	0	0
http.send.inflate.start_auto	0	0
http.send.inflate.start_flags	0	0
http.send.not_found_404	1	1

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.5

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagick

imagick module	enabled
imagick module version	3.1.2
imagick classes	Imagick, ImagickDraw, ImagickPixel, ImagickPixelIterator
ImageMagick version	ImageMagick 6.7.4-7 2012-01-18 Q16 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2012 ImageMagick Studio LLC
ImageMagick release date	2012-01-18
ImageMagick number of supported	196

formats:	
ImageMagick supported formats	3FR, A, AAI, AI, ART, ARW, AVI, AVS, B, BMP, BMP2, BMP3, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, FAX, FITS, FRACTAL, FTS, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, J2C, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMV, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagick.locale_fix	0	0
imagick.progress_monitor	0	0

imap

IMAP c-Client Version	2004
SSL Support	enabled
Kerberos Support	enabled

intl

Internationalization support	enabled
version	1.1.0
ICU version	3.6

Directive	Local Value	Master Value
intl.default_locale	<i>no value</i>	<i>no value</i>
intl.error_level	0	0

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: 2dabc34c4033eedc9d7fa05f16544cdb14121c4e \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20343
SASL Support	Enabled

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.7.8
libXML Loaded Version	20708
libXML streams	enabled

mailparse

mailparse support	enabled
-------------------	---------

Extension Version	2.1.6
Revision	\$Revision: 305002 \$

Directive	Local Value	Master Value
mailparse.def_charset	us-ascii	us-ascii

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml+xml)	^(text/application/xhtml+xml)
mbstring.internal_encoding	UTF-8	UTF-8
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

memcache

memcache support	enabled
Active persistent connections	0
Version	2.2.6
Revision	\$Revision: 303962 \$

Directive	Local Value	Master Value
memcache.allow_failover	1	1
memcache.chunk_size	8192	8192
memcache.default_port	11211	11211
memcache.default_timeout_ms	1000	1000
memcache.hash_function	crc32	crc32
memcache.hash_strategy	standard	standard
memcache.max_failover_attempts	20	20

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.5.32
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib64 -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	Off	Off
mysql.connect_timeout	20	20
mysql.default_host	localhost	localhost
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	3306	3306
mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	60	60
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysql Support	enabled
Client API library version	5.5.32
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.5.32
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	localhost	localhost
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	60	60
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.2e 3 Dec 2015
OpenSSL Header Version	OpenSSL 1.0.1p 9 Jul 2015

pcntl

pcntl support	enabled
---------------	---------

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.37 2015-04-28

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, pgsql, sqlite

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.5.32

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	8.4.13
Module version	1.0.2
Revision	\$Id: 8e4cc97fb53f418d98b489c3e9d722e48446e676 \$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.8.10.2

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.4.13
PostgreSQL(libpq)	PostgreSQL 8.4.13 on x86_64-redhat-linux-gnu, compiled by GCC gcc (GCC) 4.1.2 20080704 (Red Hat 4.1.2-52), 64-bit
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	Off	Off
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	60	60
pgsql.max_persistent	Unlimited	Unlimited

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: ba734629367f9671b25202408d13914fa63d8396 \$

Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	\$Id: 1dfa9997ed76804e53c91e0ce862f3707617b6ed \$
-----------------	---

pspell

PSpell Support	enabled
-----------------------	---------

readline

Readline Support	enabled
Readline library	EditLine wrapper

Directive	Local Value	Master Value
cli.pager	<i>no value</i>	<i>no value</i>

cli.prompt	\b >	\b >
------------	------	------

Reflection

Reflection	enabled
Version	\$Id: f6367cdb4e3f392af4a6d441a6641de87c2e50c4 \$

session

Session Support	enabled
Registered save handlers	files user memcache
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>

session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

shmop

shmop support	enabled
----------------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Id: 16070fc92ad6f69cebb2d52ad3f02794f833ce39 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1

soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

sqlite

SQLite support	enabled
PECL Module version	1.0.3 \$Id: sqlite.c,v 1.62.2.25 2004/07/10 12:25:33 wez Exp \$
SQLite Library	2.8.14
SQLite Encoding	iso8859

Directive	Local Value	Master Value
------------------	--------------------	---------------------

sqlite.assoc_case	0	0
-------------------	---	---

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7
SQLite Library	3.8.10.2

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

ssh2

SSH2 support	enabled
extension version	0.11.3-dev
libssh2 version	0.18
banner	SSH-2.0-libssh2_0.18
remote forwarding	enabled
hostbased auth	enabled
polling support	enabled
publickey subsystem	enabled

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0

assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	20	20
from	<i>no value</i>	<i>no value</i>
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Id: adf1d2d6be849c46eed3c3ee6f1cbebd1448d6e5 \$

tidy

Tidy support	enabled
libTidy Release	14 June 2007
Extension Version	2.0 (\$Id\$)

Directive	Local Value	Master Value
tidy.clean_output	<i>no value</i>	<i>no value</i>
tidy.default_config	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.8

xmlreader

XMLReader	enabled
------------------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
------------------	---------

xsl

XSL	enabled
libxslt Version	1.1.26

libxslt compiled against libxml Version	2.7.8
EXSLT	enabled
libxslt Version	1.1.26

zip

Zip	enabled
Extension Version	\$Id: 6c872ebfb022206b0cc2a183c7a388c7b6ad8685 \$
Zip version	1.11.0
Libzip version	0.10.1

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
ionCube Loader
sysvsem

Environment

Variable	Value
PATH	/usr/local/bin:/usr/bin:/bin
UNIQUE_ID	Vymbo1vF5JYAAArk784AAABK
PHPHANDLER	/usr/local/php54/bin/php
HTTP_HOST	www.rundblad.co.uk
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 10.0; WOW64; rv:45.0) Gecko/20100101 Firefox/45.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-GB,en;q=0.5
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_DNT	1
HTTP_CONNECTION	keep-alive
SERVER_SOFTWARE	Apache
SERVER_NAME	www.rundblad.co.uk
SERVER_ADDR	91.197.228.160
SERVER_PORT	80
REMOTE_ADDR	86.26.37.39
DOCUMENT_ROOT	/home/rundblad/public_html
SERVER_ADMIN	webmaster@rundblad.co.uk
SCRIPT_FILENAME	/home/rundblad/public_html/test.php
REMOTE_PORT	58678
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/test.php
SCRIPT_NAME	/test.php

PHP Variables

Variable	Value
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["UNIQUE_ID"]	Vymbo1vF5JYAAArk784AAABK
_SERVER["PHPHANDLER"]	/usr/local/php54/bin/php
_SERVER["HTTP_HOST"]	www.rundblad.co.uk
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 10.0; WOW64; rv:45.0) Gecko/20100101 Firefox/45.0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-GB,en;q=0.5
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_DNT"]	1
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["SERVER_NAME"]	www.rundblad.co.uk
_SERVER["SERVER_ADDR"]	91.197.228.160
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	86.26.37.39
_SERVER["DOCUMENT_ROOT"]	/home/rundblad/public_html
_SERVER["SERVER_ADMIN"]	webmaster@rundblad.co.uk
_SERVER["SCRIPT_FILENAME"]	/home/rundblad/public_html/test.php
_SERVER["REMOTE_PORT"]	58678
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/test.php
_SERVER["SCRIPT_NAME"]	/test.php
_SERVER["PHP_SELF"]	/test.php
_SERVER["REQUEST_TIME_FLOAT"]	1462344611.8766
_SERVER["REQUEST_TIME"]	1462344611

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.