

Formulaire d'inscription(Identifiant (ID) :648372) (/index.php/admin/survey/sa/view/surveyid/648372)

Éditer les paramètres du questionnaire

5 questions comportent des erreurs qui doivent être corrigées.

Fichier de logique pour le Questionnaire #[648372]: Formulaire d'inscription

#	Nom [ID]	Filtre conditionnel [Validation] (Valeur par défaut)	Texte [Aide] (Astuce)
G-0	DECLAR_VAR [GID 45 (/index.php/admin/questiongroups/sa/view/surveyid/648372/gid/45)]	1	Déclaration des variables. Les variables sont les codes des sous-questions des questions
Q-0	LEV [QID 1025 (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)] Tableau (Textes) [;]	1	Déclaration des variables pour les catégories de l'activité Evolugym de la section Loisirs . Attribut de la question Valeur array_filter_style 1 hide_tip 1 hidden 1 show_totals X text_input_width 12
SQ-1	LEV_BAB1		Loisirs - Evolugym - Baby 1
SQ-2	LEV_BAB2		Loisirs - Evolugym - Baby 2
SQ-3	LEV_BAB3		Loisirs - Evolugym - Baby 3
SQ-4	LEV_BAM1		Loisirs - Evolugym - Bambini 1
SQ-5	LEV_BAM2		Loisirs - Evolugym - Bambini 2
SQ-6	LEV_ACR01		Loisirs - Evolugym - Acrobates 1
SQ-7	LEV_ACR02		Loisirs - Evolugym - Acrobates 2
SQ-8	LEV_ACR03		Loisirs - Evolugym - Acrobates 3
SQ-9	LEV_FUN1G1		Loisirs - Evolugym - Fun 1 groupe 1
SQ-10	LEV_FUN1G2		Loisirs - Evolugym - Fun 1 groupe 2
SQ-11	LEV_FUN1G3		Loisirs - Evolugym - Fun 1 groupe 3



Like it? Donate to LimeSurvey (<http://donate.limesurvey.org>)

LimeSurvey (<http://www.limesurvey.org>)

Version 2.62.0+170124

<http://manual.limesurvey.org>

Fermer (/index.php/admin/survey/sa/view/surveyid/648372)

SQ-12	LEV_FUN2		Loisirs - Evolugym - Fun 2
SQ-13	LEV_PRADO		Loisirs - Evolugym - Gym pré-ados
SQ-14	LEV_ADO		Loisirs - Evolugym - Gym Ados
SQ-15	LEV_ACGRO1		Loisirs - Gymnastique Rythmique - Acrobat GR groupe 1
SQ-16	LEV_FUN		Loisirs - Gymnastique Rythmique - Fun GR
SQ-17	LEV_BAM		Loisirs - Gymnastique Rythmique - Bambinos GR
SQ-18	LEV_ACGRO2		Loisirs - Gymnastique Rythmique - Acrobates GR groupe 2
A[1]-1	N	[VALUE: N]	Libellé
A[1]-2	INF	[VALUE: INF]	De (année basse)
A[1]-3	SUP	[VALUE: SUP]	A (année haute)
A[1]-4	J	[VALUE: J]	Jour
A[1]-5	H	[VALUE: H]	horaires
A[1]-6	P	[VALUE: P]	Prix
A[1]-7	L	[VALUE: L]	Lieu
A[1]-8	E	[VALUE: E]	Effectif
Q-1	*LGR [QID 1034 (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1034)] Tableau (Textes) [;]	1	Déclaration des variables pour les catégories du type d'activités Gymnastique Rythmique c Attribut de la question Valeur array_filter_style 1 hide_tip 1 hidden 1 show_totals X text_input_width 12
SQ-1	LGR_ACGRO1		Loisirs - Gymnastique Rythmique - Acrobat GR groupe 1
SQ-2	LGR_FUN		Loisirs - Gymnastique Rythmique - Fun GR
SQ-3	LGR_BAM		Loisirs - Gymnastique Rythmique - Bambinos GR
SQ-4	LGR_ACGRO2		Loisirs - Gymnastique Rythmique - Acrobates GR groupe 2
A[1]-1	N	[VALUE: N]	Libellé
A[1]-2	INF	[VALUE: INF]	De (année basse)
A[1]-3	SUP	[VALUE: SUP]	A (année haute)

A[1]-4	J	[VALUE: J]	Jour	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
A[1]-5	H	[VALUE: H]	horaires	
A[1]-6	P	[VALUE: P]	Prix	
A[1]-7	L	[VALUE: L]	Lieu	
A[1]-8	E	[VALUE: E]	Effectif	
Q-2	*LAC [QID 1035 (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)] Tableau (Textes) [;]	1	Déclaration des variables pour les catégories du type d'activités Acrobat de la section Lois Attribut de la question Valeur array_filter_style 1 hide_tip 1 hidden 1 show_totals X text_input_width 12	
SQ-1	LAC_KANG		Loisirs - Acrobat - Kangourous trampo	
SQ-2	LAC_TRADO		Loisirs - Acrobat - Tramp Ado	
SQ-3	LAC_STREET		Loisirs - Acrobat - Street Gym	
A[1]-1	N	[VALUE: N]	Libellé	
A[1]-2	INF	[VALUE: INF]	De (année basse)	
A[1]-3	SUP	[VALUE: SUP]	A (année haute)	
A[1]-4	J	[VALUE: J]	Jour	
A[1]-5	H	[VALUE: H]	horaires	
A[1]-6	P	[VALUE: P]	Prix	
A[1]-7	L	[VALUE: L]	Lieu	
A[1]-8	E	[VALUE: E]	Effectif	
Q-3	*LETAD [QID 1036 (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1036)] Tableau (Textes) [;]	1	Déclaration des variables pour les catégories du type d'activités Adultes et Etudiants de la Attribut de la question Valeur array_filter_style 1 hide_tip 1 hidden 1 show_totals X text_input_width 12	
SQ-1	LETAD_ANCGYM		Loisirs - Etudiants - Adultes 18 ans et + - "Anciens Gyms " - GAM GAF	
SQ-2	LETAD_ETUDGR		Loisirs - Etudiants - Adultes 18 ans et + - Etudiants - gymnastique artistique	

SQ-3	LETAD_MUSCU		Loisirs - Etudiants - Adultes 18 ans et + - Musculation	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
A[1]-1	N	[VALUE: N]	Nom	
A[1]-2	J	[VALUE: J]	Jour	
A[1]-3	H	[VALUE: H]	horaires	
A[1]-4	P	[VALUE: P]	Prix	
A[1]-5	L	[VALUE: L]	Lieu	
A[1]-6	E	[VALUE: E]	Effectif	
Q-4	*LB [QID 1037 (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037)] Tableau (Textes) [;]	1	Déclaration des variables pour les catégories du type d'activités Bénévoles de la section L Attribut de la question Valeur array_filter_style 1 hide_tip 1 hidden 1 show_totals X text_input_width 12	
SQ-1	LB_CADJUG		Loisirs - Bénévoles - Cadres et juges bénévoles sans entraînements	
SQ-2	LB_CA		Loisirs - Bénévoles - Conseil d'administration	
A[1]-1	N	[VALUE: N]	Libellé	
A[1]-2	P	[VALUE: P]	Prix	
A[1]-3	E	[VALUE: E]	Effectif	
Q-5	*CGA [QID 1038 (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1038)] Tableau (Textes) [;]	1	Déclaration des variables pour les catégories de l'activité GAM/GAF de la section Compétiti Attribut de la question Valeur array_filter_style 1 hide_tip 1 hidden 1 show_totals X text_input_width 12	
SQ-1	CGA_23E		Compétitifs - GAM/GAF - 2 ou 3 entraînements par semaine	
SQ-2	CGA_4E		Compétitifs - GAM/GAF - 4 entraînements par semaine	
SQ-3	CGA_5E		Compétitifs - GAM/GAF - 5 entraînements ou + par semaine	
A[1]-1	N	[VALUE: N]	Libellé	
A[1]-2	H	[VALUE: H]	horaires	
A[1]-3	P	[VALUE: P]	Prix	

A[1]-4	L	[VALUE: L]	Lieu	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
Q-6	*CGR [QID 1039 (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1039)] Tableau (Textes) [;]	1	Déclaration des variables pour les catégories de l'activité GR de la section Compétitifs . Attribut de la question Valeur array_filter_style 1 hide_tip 1 hidden 1 show_totals X text_input_width 12	
SQ-1	CGR_1E		Compétitifs - GR - 1 entraînement par semaine	
SQ-2	CGR_23E		Compétitifs - GR - 2 ou 3 entraînements par semaine	
A[1]-1	N	[VALUE: N]	Libellé	
A[1]-2	H	[VALUE: H]	horaires	
A[1]-3	P	[VALUE: P]	Prix	
A[1]-4	L	[VALUE: L]	Lieu	
Q-7	*CHA [QID 1040 (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1040)] Tableau (Textes) [;]	1	Déclaration des variables pour les catégories de l'activité HA de la section Compétitifs . Attribut de la question Valeur array_filter_style 1 hide_tip 1 hidden 1 show_totals X text_input_width 12	
SQ-1	CHA_CLG		Compétitifs - HA - bénéficiant des horaires aménagés	
A[1]-1	N	[VALUE: N]	Libellé	
A[1]-2	H	[VALUE: H]	horaires	
A[1]-3	P	[VALUE: P]	Prix	
A[1]-4	L	[VALUE: L]	Lieux	
G-1	VALEUR_VAR [GID 47 (/index.php/admin/questiongroups/sa/view/surveyid/648372/gid/47)]	1	Attribution de valeurs aux variables.	

Q-8	LIBELLE [QID 1026 (/index.php/admin/questions/sa/view/surveyid/648372/gid/47/qid/1026)] Équation [*]	1	Attribution des libellés des activités. Attribut de la question Valeur <pre>{LEV_BAB1_N='Loisirs - Evolugym - Baby 1'} {LEV_BAB2_N='Loisirs - Evolugym - E Bambinos 1'} {LEV_BAM2_N='Loisirs - Evolugym - Bambinos 2'} {LEV_ACRO1_N=' {LEV_ACRO3_N='Loisirs - Evolugym - Acrobates 3'} {LEV_FUN1G1_N='Loisirs - Ev {LEV_FUN1G3_N='Loisirs - Evolugym - Fun 1 groupe 3'} {LEV_FUN2_N='Loisirs - E {LEV_ADO_N='Loisirs - Evolugym - Gym Ados'} {LGR_ACGRO1_N='Loisirs - Gymna - Fun GR'} {LGR_BAM_N='Loisirs - Gymnastique Rythmique - Bambinos GR'} {LGR equation {LAC_KANG_N='Loisirs - Acrobat - Kangourous trampo'} {LAC_TRADO_N='Loisirs {LETAD_ANCGYM_N='Loisirs - Etudiants - Adultes 18 ans et + - Anciens Gyms - C gymnastique artistique'} {LETAD_MUSCU_N='Loisirs - Etudiants - Adultes 18 ans entrainements'} {LB_CA_N='Loisirs - Bénévoles - Conseil Administration'} {CGA_2 {CGA_4E_N='Compétitifs - GAM/GAF - 4 entraînements par semaine'} {CGA_5E_N GR - 1 entraînement par semaine'} {CGR_23E_N='Compétitifs - GR - 2 ou 3 entraîn aménagés'}</pre> hidden 1	<div style="border: 1px solid red; padding: 2px; display: inline-block;"> Fermer (/index.php/admin/survey/sa/view/surveyid/648372) </div>
Q-9	ANINF [QID 1028 (/index.php/admin/questions/sa/view/surveyid/648372/gid/47/qid/1028)] Équation [*]	1	Attribution des années inférieures aux variables ad hoc des catégories d'activités des sect Attribut de la question Valeur <pre>{LEV_BAB1_INF=2015} {LEV_BAB2_INF=2014} {LEV_BAB3_INF=2013} {LE {LEV_ACRO2_INF=2009} {LEV_ACRO3_INF=2009} {LEV_FUN1G1_INF=200 {LEV_PRADO_INF=2003} {LEV_ADO_INF=2001} {LGR_ACGRO1_INF=2008} {LAC_KANG_INF=2006} {LAC_TRADO_INF=1999} {LAC_STREET_INF=199</pre> hidden 1 numbers_only 1	
Q-10	ANSUP [QID 1029 (/index.php/admin/questions/sa/view/surveyid/648372/gid/47/qid/1029)] Équation [*]	1	Attribution des années supérieures aux variables ad hoc des catégories d'activités des sect Attribut de la question Valeur <pre>{LEV_BAB1_SUP=2016} {LEV_BAB2_SUP=2014} {LEV_BAB3_SUP=2013} {L {LEV_ACRO2_SUP=2010} {LEV_ACRO3_SUP=2010} {LEV_FUN1G1_SUP=20 {LEV_PRADO_SUP=2005} {LEV_ADO_SUP=2002} {LGR_ACGRO1_SUP=201 {LAC_KANG_SUP=2011} {LAC_TRADO_SUP=2005} {LAC_STREET_SUP=200</pre> hidden 1 numbers_only 1	
Q-11	JOURS [QID 1030 (/index.php/admin/questions/sa/view/surveyid/648372/gid/47/qid/1030)] Équation [*]	1	Attribution du(des) jour(s) aux variables ad hoc des catégories d'activités des sections. Attribut de la question Valeur <pre>{LEV_BAB1_J='Mercredi'} {LEV_BAB2_J='Samedi'} {LEV_BAB3_J='Samedi'} {LEV {LEV_ACRO2_J='Jeudi'} {LEV_ACRO3_J='Samedi'} {LEV_FUN1G1_J='Lundi'} {LE {LEV_PRADO_J='Mercredi'} {LEV_ADO_J='Mercredi'} {LGR_ACGRO1_J='Mercred {LAC_KANG_J='Mardi'} {LAC_TRADO_J='jeudi'} {LAC_STREET_J='Mercredi'} {L {LETAD_MUSCU_J='Accès libre - salle de musculation uniquement'}</pre> hidden 1	

Q-12	HORAIRES [QID 1031 (/index.php/admin/questions/sa/view/surveyid/648372/gid/47/qid/1031)] Équation [*]	1	Attribution des horaires aux variables ad hoc des catégories d'activités des sections. Attribut de la question <table border="0"> <tr> <td>la</td> <td>Valeur</td> </tr> <tr> <td>question</td> <td>{LEV_BAB1_H='10h15 - 11h00'} {LEV_BAB2_H='09h00 - 09h45'} {LEV_BAB3_H='14h00 - 15h15'} {LEV_ACRO1_H='14h00 - 15h15'} {LEV_ACRO2_H='17h00 - 18h15'} {LEV_ACRO3_H='11h30 - 13h00'} {LEV_FUN1G3_H='11h30 - 13h00'} {LEV_FUN2_H='M : 15h15 - 16h45 / S : 11h30 - 12h00'} {LGR_ACGRO1_H='16h00 - 17h15'} {LGR_FUN_H='17h50 - 19h20'} {LGR_BAM_H='18h15 - 19h45'} {LAC_TRADO_H='18h15 - 19h45'} {LAC_STREET_H='16h45 - 18h15'} {LETAD_AI_H='21h00 / J : 19h00 - 21h00'} {CGA_23E_H='cf. entraineurs'} {CGA_4E_H='cf. entraineurs'} {CHA_CLG_H='cf. entraineurs'}</td> </tr> <tr> <td>hidden</td> <td>1</td> </tr> </table>	la	Valeur	question	{LEV_BAB1_H='10h15 - 11h00'} {LEV_BAB2_H='09h00 - 09h45'} {LEV_BAB3_H='14h00 - 15h15'} {LEV_ACRO1_H='14h00 - 15h15'} {LEV_ACRO2_H='17h00 - 18h15'} {LEV_ACRO3_H='11h30 - 13h00'} {LEV_FUN1G3_H='11h30 - 13h00'} {LEV_FUN2_H='M : 15h15 - 16h45 / S : 11h30 - 12h00'} {LGR_ACGRO1_H='16h00 - 17h15'} {LGR_FUN_H='17h50 - 19h20'} {LGR_BAM_H='18h15 - 19h45'} {LAC_TRADO_H='18h15 - 19h45'} {LAC_STREET_H='16h45 - 18h15'} {LETAD_AI_H='21h00 / J : 19h00 - 21h00'} {CGA_23E_H='cf. entraineurs'} {CGA_4E_H='cf. entraineurs'} {CHA_CLG_H='cf. entraineurs'}	hidden	1		
la	Valeur										
question	{LEV_BAB1_H='10h15 - 11h00'} {LEV_BAB2_H='09h00 - 09h45'} {LEV_BAB3_H='14h00 - 15h15'} {LEV_ACRO1_H='14h00 - 15h15'} {LEV_ACRO2_H='17h00 - 18h15'} {LEV_ACRO3_H='11h30 - 13h00'} {LEV_FUN1G3_H='11h30 - 13h00'} {LEV_FUN2_H='M : 15h15 - 16h45 / S : 11h30 - 12h00'} {LGR_ACGRO1_H='16h00 - 17h15'} {LGR_FUN_H='17h50 - 19h20'} {LGR_BAM_H='18h15 - 19h45'} {LAC_TRADO_H='18h15 - 19h45'} {LAC_STREET_H='16h45 - 18h15'} {LETAD_AI_H='21h00 / J : 19h00 - 21h00'} {CGA_23E_H='cf. entraineurs'} {CGA_4E_H='cf. entraineurs'} {CHA_CLG_H='cf. entraineurs'}										
hidden	1										
Q-13	PRIX [QID 1032 (/index.php/admin/questions/sa/view/surveyid/648372/gid/47/qid/1032)] Équation [*]	1	Attribution du prix aux variables ad hoc des catégories d'activités des sections. Attribut de la question <table border="0"> <tr> <td>la</td> <td>Valeur</td> </tr> <tr> <td>question</td> <td>{LEV_BAB1_P=210} {LEV_BAB2_P=210} {LEV_BAB3_P=210} {LEV_BAM1_P=210} {LEV_ACRO3_P=210} {LEV_FUN1G1_P=210} {LEV_FUN1G2_P=210} {LEV_FUN1G3_P=210} {LGR_ACGRO1_P=210} {LGR_FUN_P=210} {LGR_BAM_P=210} {LGR_ACGRO2_P=210} {LETAD_ANCGYM_P=220} {LETAD_ETUDGR_P=150} {LETAD_MUSCU_P=150} {CGA_5E_P=350} {CGR_1E_P=260} {CGR_23E_P=300} {CHA_CLG_P=350}</td> </tr> <tr> <td>hidden</td> <td>1</td> </tr> <tr> <td>numbers_only</td> <td>1</td> </tr> </table>	la	Valeur	question	{LEV_BAB1_P=210} {LEV_BAB2_P=210} {LEV_BAB3_P=210} {LEV_BAM1_P=210} {LEV_ACRO3_P=210} {LEV_FUN1G1_P=210} {LEV_FUN1G2_P=210} {LEV_FUN1G3_P=210} {LGR_ACGRO1_P=210} {LGR_FUN_P=210} {LGR_BAM_P=210} {LGR_ACGRO2_P=210} {LETAD_ANCGYM_P=220} {LETAD_ETUDGR_P=150} {LETAD_MUSCU_P=150} {CGA_5E_P=350} {CGR_1E_P=260} {CGR_23E_P=300} {CHA_CLG_P=350}	hidden	1	numbers_only	1
la	Valeur										
question	{LEV_BAB1_P=210} {LEV_BAB2_P=210} {LEV_BAB3_P=210} {LEV_BAM1_P=210} {LEV_ACRO3_P=210} {LEV_FUN1G1_P=210} {LEV_FUN1G2_P=210} {LEV_FUN1G3_P=210} {LGR_ACGRO1_P=210} {LGR_FUN_P=210} {LGR_BAM_P=210} {LGR_ACGRO2_P=210} {LETAD_ANCGYM_P=220} {LETAD_ETUDGR_P=150} {LETAD_MUSCU_P=150} {CGA_5E_P=350} {CGR_1E_P=260} {CGR_23E_P=300} {CHA_CLG_P=350}										
hidden	1										
numbers_only	1										
Q-14	LIEUX [QID 1033 (/index.php/admin/questions/sa/view/surveyid/648372/gid/47/qid/1033)] Équation [*]	1	Affectation du lieu aux variables ad hoc des catégories d'activités des sections. Attribut de la question <table border="0"> <tr> <td>la</td> <td>Valeur</td> </tr> <tr> <td>question</td> <td>{LEV_BAB1_L='Gérard Jacques'} {LEV_BAB2_L='Gérard Jacques'} {LEV_BAB3_L='Gérard Jacques'} {LEV_ACRO1_L='Gérard Jacques'} {LEV_ACRO2_L='Gérard Jacques'} {LEV_ACRO3_L='Gérard Jacques'} {LEV_FUN1G3_L='Gérard Jacques'} {LEV_FUN2_L='Gérard Jacques'} {LEV_FUN3_L='Gérard Jacques'} {LGR_FUN_L='Gérard Jacques'} {LGR_BAM_L='Gérard Jacques'} {LGR_ACGRO1_L='Gérard Jacques'} {LGR_ACGRO2_L='Gérard Jacques'} {LGR_ACGRO3_L='Gérard Jacques'} {LAC_STREET_L='Gérard Jacques'} {LETAD_ANCGYM_L='Gérard Jacques'} {LETAD_ETUDGR_L='Gérard Jacques'} {LETAD_MUSCU_L='Gérard Jacques'} {CGA_23E_L='Gérard Jacques'} {CGA_4E_L='Gérard Jacques'} {CGA_5E_L='Gérard Jacques'} {CHA_CLG_L='Gérard Jacques'}</td> </tr> <tr> <td>hidden</td> <td>1</td> </tr> </table>	la	Valeur	question	{LEV_BAB1_L='Gérard Jacques'} {LEV_BAB2_L='Gérard Jacques'} {LEV_BAB3_L='Gérard Jacques'} {LEV_ACRO1_L='Gérard Jacques'} {LEV_ACRO2_L='Gérard Jacques'} {LEV_ACRO3_L='Gérard Jacques'} {LEV_FUN1G3_L='Gérard Jacques'} {LEV_FUN2_L='Gérard Jacques'} {LEV_FUN3_L='Gérard Jacques'} {LGR_FUN_L='Gérard Jacques'} {LGR_BAM_L='Gérard Jacques'} {LGR_ACGRO1_L='Gérard Jacques'} {LGR_ACGRO2_L='Gérard Jacques'} {LGR_ACGRO3_L='Gérard Jacques'} {LAC_STREET_L='Gérard Jacques'} {LETAD_ANCGYM_L='Gérard Jacques'} {LETAD_ETUDGR_L='Gérard Jacques'} {LETAD_MUSCU_L='Gérard Jacques'} {CGA_23E_L='Gérard Jacques'} {CGA_4E_L='Gérard Jacques'} {CGA_5E_L='Gérard Jacques'} {CHA_CLG_L='Gérard Jacques'}	hidden	1		
la	Valeur										
question	{LEV_BAB1_L='Gérard Jacques'} {LEV_BAB2_L='Gérard Jacques'} {LEV_BAB3_L='Gérard Jacques'} {LEV_ACRO1_L='Gérard Jacques'} {LEV_ACRO2_L='Gérard Jacques'} {LEV_ACRO3_L='Gérard Jacques'} {LEV_FUN1G3_L='Gérard Jacques'} {LEV_FUN2_L='Gérard Jacques'} {LEV_FUN3_L='Gérard Jacques'} {LGR_FUN_L='Gérard Jacques'} {LGR_BAM_L='Gérard Jacques'} {LGR_ACGRO1_L='Gérard Jacques'} {LGR_ACGRO2_L='Gérard Jacques'} {LGR_ACGRO3_L='Gérard Jacques'} {LAC_STREET_L='Gérard Jacques'} {LETAD_ANCGYM_L='Gérard Jacques'} {LETAD_ETUDGR_L='Gérard Jacques'} {LETAD_MUSCU_L='Gérard Jacques'} {CGA_23E_L='Gérard Jacques'} {CGA_4E_L='Gérard Jacques'} {CGA_5E_L='Gérard Jacques'} {CHA_CLG_L='Gérard Jacques'}										
hidden	1										
Q-15	EFFECTIFS [QID 1046 (/index.php/admin/questions/sa/view/surveyid/648372/gid/47/qid/1046)] Équation [*]	1	Affectation de l'effectif aux variables ad hoc des catégories d'activités des sections. Attribut de la question <table border="0"> <tr> <td>la</td> <td>Valeur</td> </tr> <tr> <td>question</td> <td>{LEV_BAB1_E=30} {LEV_BAB2_E=30} {LEV_BAB3_E=30} {LEV_BAM1_E=36} {LEV_BAM2_E=36} {LEV_BAM3_E=36} {LEV_FUN1G1_E=15} {LEV_FUN1G2_E=30} {LEV_FUN1G3_E=15} {LEV_FUN2_E=30} {LEV_FUN3_E=30} {LGR_BAM_E=12} {LGR_ACGRO2_E=20} {LAC_KANG_E=15} {LAC_TRADO_E=15} {LETAD_MUSCU_E=15} {LB_CADJUG_E=149} {LB_CA_E=20}</td> </tr> <tr> <td>hidden</td> <td>1</td> </tr> <tr> <td>numbers_only</td> <td>1</td> </tr> </table>	la	Valeur	question	{LEV_BAB1_E=30} {LEV_BAB2_E=30} {LEV_BAB3_E=30} {LEV_BAM1_E=36} {LEV_BAM2_E=36} {LEV_BAM3_E=36} {LEV_FUN1G1_E=15} {LEV_FUN1G2_E=30} {LEV_FUN1G3_E=15} {LEV_FUN2_E=30} {LEV_FUN3_E=30} {LGR_BAM_E=12} {LGR_ACGRO2_E=20} {LAC_KANG_E=15} {LAC_TRADO_E=15} {LETAD_MUSCU_E=15} {LB_CADJUG_E=149} {LB_CA_E=20}	hidden	1	numbers_only	1
la	Valeur										
question	{LEV_BAB1_E=30} {LEV_BAB2_E=30} {LEV_BAB3_E=30} {LEV_BAM1_E=36} {LEV_BAM2_E=36} {LEV_BAM3_E=36} {LEV_FUN1G1_E=15} {LEV_FUN1G2_E=30} {LEV_FUN1G3_E=15} {LEV_FUN2_E=30} {LEV_FUN3_E=30} {LGR_BAM_E=12} {LGR_ACGRO2_E=20} {LAC_KANG_E=15} {LAC_TRADO_E=15} {LETAD_MUSCU_E=15} {LB_CADJUG_E=149} {LB_CA_E=20}										
hidden	1										
numbers_only	1										

G-2	Identité de l'adhérent [GID 39 (/index.php/admin/questiongroups/sa/view/surveyid/648372/gid/39)]	1	L'adhérent est celui ou celle qui pratiquera la ou les activités.	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
Q-16	*IDENTADH [QID 986 (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/986)] Multiples zones de texte court [Q]	1	Renseignez les prénom et nom de l'adhérent Attribut de la question Valeur hide_tip 1 text_input_columns 6 label_input_columns 6	
SQ-1	IDENTADH_adprenom (Par défaut: TOKEN:FIRSTNAME)		Prénom de l'adhérent	
SQ-2	IDENTADH_adnom (Par défaut: TOKEN:LASTNAME)		Nom de l'adhérent	
Q-17	*DATNAISSADH [QID 987 (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987)] Date et Heure [D] <i>Cette question comporte au moins 1 erreur.</i>	1 (Par défaut: TOKEN:ATTRIBUTE_1)	Renseignez la date de naissance de l'adhérent [Aide : Vérification : l'adhérent a <code>intval((strtotime("now") - strtotime(DATNAISSADH (/index.php/</code> an(s). Si l'âge n'est pas correct, cliquez sur "Sortir et effacer vos réponses" (en haut à droite) pu] Attribut de la question Valeur statistics_showgraph 1 hide_tip 1 dropdown_dates_minute_step1	
Q-18	*SEXADH [QID 988 (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/988)] Genre [G]	1	Sexe de l'adhérent : Attribut de la question Valeur hide_tip 1 display_type 1	
Q-19	*TELADH [QID 990 (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/990)] Zone de texte court [S]	1	Renseignez le numéro de téléphone de contact de l'adhérent : Attribut de la question Valeur statistics_showmap 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 6	

Q-20	*ADRMALADH [QID 989 (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/989)] Zone de texte court [S]	1 (Par défaut: TOKEN:EMAIL)	Renseignez l'adresse email de contact de l'adhérent : Fermer (/index.php/admin/survey/sa/view/surveyid/648372) [Aide : Indispensable pour la transmission des informations concernant le club ! En indiquant votre adresse email, vous recevrez un mail de confirmation d'inscription avec la fiche.] Attribut de la question Valeur statistics_showmap 1 statistics_showgraph 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 12
G-3	Informations sur l'adhérent majeur [GID 44 (/index.php/admin/questiongroups/sa/view/surveyid/648372/gid/44)]	((intval((strtotime("now") - strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) / 60 / 60 / 24 / 365.242) >= 18))	Si vous êtes invité à renseigner ces informations alors que l'adhérent n'est pas majeur, cliquez ici
Q-21	*ADRADHMAJ [QID 1019 (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1019)] Multiples zones de texte court [Q] <i>Cette question comporte au moins 3 erreurs.</i>	1	Renseignez l'adresse postale de l'adhérent : Attribut de la question Valeur statistics_showgraph 1 hide_tip 1 text_input_columns 6 label_input_columns 6
SQ-1	ADRADHMAJ_AD1	(Par défaut: TOKEN:ATTRIBUTE_3)	Numéro et voie :
SQ-2	ADRADHMAJ_AD3	(Par défaut: TOKEN:ATTRIBUTE_6)	Code postal :
SQ-3	ADRADHMAJ_AD4	(Par défaut: TOKEN:ATTRIBUTE_7)	Localité :
Q-22	CADRADHMAJ [QID 1014 (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1014)] Zone de texte court [S] <i>Cette question comporte au moins 1 erreur.</i>	1 (Par défaut: TOKEN:ATTRIBUTE_4)	Complément d'adresse si nécessaire : (bâtiment, étage, lieu-dit, ...) Attribut de la question Valeur statistics_showmap 1 statistics_showgraph 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 12

Q-23	PROFADHMAJ [QID 1024 (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1024)] Zone de texte court [S]	1	Vous pouvez renseigner votre profession : Attribut de la question Valeur statistics_showmap 1 statistics_showgraph 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 text_input_width 12	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
Q-24	*TESTRESPADHMAJ [QID 1005 (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1005)] Oui/Non [Y]	1 (Par défaut: N)	Voulez-vous renseigner un responsable ? Attribut de la question Valeur statistics_showgraph 1 hide_tip 1 display_type 1	
Q-25	*IDRESPADHMAJ [QID 1003 (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1003)] Multiples zones de texte court [Q]	((TESTRESPADHMAJ.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1005) == "Y"))	Renseignez l'identité du responsable Attribut de la question Valeur statistics_showgraph 1 hide_tip 1 text_input_columns 6 label_input_columns 6	
SQ-1	IDRESPADHMAJ_PRESP		Prénom	
SQ-2	IDRESPADHMAJ_NRESP		Nom	
Q-26	TELREPSADHMAJ [QID 1042 (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1042)] Zone de texte court [S]	((TESTRESPADHMAJ.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1005) == "Y"))	Vous pouvez renseigner le numéro de téléphone du responsable : Attribut de la question Valeur statistics_showmap 1 statistics_showgraph 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 12	
Q-27	MAILREPSADHMAJ [QID 1043 (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1043)] Zone de texte court [S]	((TESTRESPADHMAJ.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1005) == "Y"))	Vous pouvez renseigner l'adresse mail du responsable : Attribut de la question Valeur statistics_showmap 1 statistics_showgraph 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 12	

Q-28	*ADRREPSADHMAJ [QID 1022 (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1022)] Multiples zones de texte court [Q]	((TESTRESPADHMAJ.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1005) == "Y"))	Renseignez l'adresse postale du responsable : Attribut de la question Valeur	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
SQ-1	ADRREPSADHMAJ_AD1		Numéro et voie :	
SQ-2	ADRREPSADHMAJ_AD3		Code postal :	
SQ-3	ADRREPSADHMAJ_AD4		Localité :	
Q-29	CADRREPSADHMAJ [QID 1023 (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1023)] Zone de texte court [S]	((TESTRESPADHMAJ.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1005) == "Y"))	Complément d'adresse si nécessaire : (bâtiment, étage, lieu-dit, ...) Attribut de la question Valeur	
Q-30	PROFRESPADHMAJ [QID 1004 (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1004)] Zone de texte court [S]	((TESTRESPADHMAJ.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/44/qid/1005) == "Y"))	Vous pouvez renseigner la profession du responsable : Attribut de la question Valeur	
G-4	Responsables légaux [GID 40 (/index.php/admin/questiongroups/sa/view/surveyid/648372/gid/40)]	((intval((strtotime("now") - strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) / 60 / 60 / 24 / 365.242) <= 17))	L'adhérent est mineur, vous devez renseigner identité et coordonnées du voire des respor	
Q-31	*IDRESP1 [QID 991 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/991)] Multiples zones de texte court [Q]	1	Renseignez l'identité du (1er) responsable légal Attribut de la question Valeur	
SQ-1	IDRESP1_PRESP1		Prénom	
SQ-2	IDRESP1_NRESP1		Nom	

Q-32	*TELRESP1 [QID 1020 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/1020)] Zone de texte court [S]	1	Renseignez le numéro de téléphone de contact du (1er) responsable Attribut de la question Valeur statistics_showmap 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 6	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
Q-33	*MAILRESP1 [QID 1045 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/1045)] Zone de texte court [S]	1	Renseignez l'adresse mail de contact du (1er) responsable : Attribut de la question Valeur statistics_showmap 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 6	
Q-34	*ADRESP1 [QID 1015 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/1015)] Multiples zones de texte court [Q] <i>Cette question comporte au moins 3 erreurs.</i>	1	Renseignez l'adresse du (1er) responsable : Attribut de la question Valeur statistics_showgraph 1 hide_tip 1 text_input_columns 6 label_input_columns 6	
SQ-1	ADRESP1_AD1RESP1	(Par défaut: TOKEN:ATTRIBUTE_3)	Numéro et voie :	
SQ-2	ADRESP1_AD2RESP1	(Par défaut: TOKEN:ATTRIBUTE_6)	Code postal :	
SQ-3	ADRESP1_AD3RESP1	(Par défaut: TOKEN:ATTRIBUTE_7)	Localité :	
Q-35	CADRESP1 [QID 1016 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/1016)] Zone de texte court [S] <i>Cette question comporte au moins 1 erreur.</i>	1 (Par défaut: TOKEN:ATTRIBUTE_4)	Complément d'adresse si nécessaire : (bâtiment, étage, lieu-dit, ...) Attribut de la question Valeur statistics_showmap 1 statistics_showgraph 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 12	

Q-36	PROFRESP1 [QID 992 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/992)] Zone de texte court [S]	1	Renseignez la profession du (1er) responsable légal Attribut de la question Valeur statistics_showmap 1 statistics_showgraph 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 12	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
Q-37	*TESTRESP2 [QID 993 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/993)] Oui/Non [Y]	1 (Par défaut: N)	Voulez-vous renseigner un deuxième responsable légal ? <hr/> [Aide : Vous avez la possibilité de renseigner l'identité et les coordonnées d'un deuxième re Attribut de la question Valeur statistics_showgraph 1 hide_tip 1 display_type 1	
Q-38	*IDRESP2 [QID 994 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/994)] Multiples zones de texte court [Q]	((TESTRESP2.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/993) == "Y"))	Renseignez l'identité du 2ème responsable Attribut de la question Valeur statistics_showgraph 1 hide_tip 1 text_input_columns 6 label_input_columns 6	
SQ-1	IDRESP2_PRESP2		Prénom	
SQ-2	IDRESP2_NRESP2		Nom	
Q-39	*TELRESP2 [QID 1021 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/1021)] Zone de texte court [S]	((TESTRESP2.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/993) == "Y"))	Renseignez le numéro de téléphone de contact du 2ème responsable <hr/> [Aide : Ce numéro peut être identique à un numéro précédemment saisi.] Attribut de la question Valeur location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 6	

Q-40	*MAILRESP2 [QID 1044 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/1044)] Zone de texte court [S]	((TESTRESP2.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/993) == "Y"))	Renseignez l'adresse mail de contact du 2ème responsable : Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
			[Aide : Cette adresse peut être identitique à une précédemment saisie.] Attribut de la question Valeur statistics_showmap 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 6
Q-41	*COORDRESP2 [QID 1017 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/1017)] Multiples zones de texte court [Q]	((TESTRESP2.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/993) == "Y"))	Renseignez l'adresse du 2ème responsable : Attribut de la question Valeur statistics_showgraph 1 hide_tip 1 text_input_columns 6 label_input_columns 6
SQ-1	COORDRESP2_AD1RESP1		Numéro et voie :
SQ-2	COORDRESP2_AD2RESP1		Code postal :
SQ-3	COORDRESP2_AD3RESP1		Localité :
Q-42	CADRESP2 [QID 1018 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/1018)] Zone de texte court [S]	((TESTRESP2.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/993) == "Y"))	Complément d'adresse si nécessaire : (bâtiment, étage, lieu-dit, ...) Attribut de la question Valeur statistics_showmap 1 statistics_showgraph 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 text_input_width 12
Q-43	PROFRESP2 [QID 995 (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/995)] Zone de texte court [S]	((TESTRESP2.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/40/qid/993) == "Y"))	Vous pouvez renseigner la profession du 2ème responsable Attribut de la question Valeur statistics_showmap 1 statistics_showgraph 1 location_mapwidth 500 location_mapheight 300 location_mapzoom 11 text_input_width 12
G-5	Inscription aux activités de loisirs ou compétitives [GID 41 (/index.php/admin/questiongroups/sa/view/surveyid/648372/gid/41)]	1	Vous avez la possibilité d'inscrire l'adhérent aux activités de loisirs ou compétitives . Pour inscrire l'adhérent en activités "compétitives", le club doit vous y a avoir autorisé et vo

Q-44	*LOUC [QID 996 (/index.php/admin/questions/sa/view/surveyid/648372/gid/41/qid/996)] Liste (Boutons radio) [L]	1 (Par défaut: LOIS)	Vous inscrivez l'adhérent en section : Attribut de la question Valeur display_columns 1 statistics_showgraph 1 hide_tip 1	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
A[0]-1	LOIS	[VALUE: 0]	de loisirs	
A[0]-2	COMP	[VALUE: 0]	compétitive (GR-GAF-GAM-HA)	
Q-45	*SECRET [QID 997 (/index.php/admin/questions/sa/view/surveyid/648372/gid/41/qid/997)] Zone de texte court [S]	((LOUC.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/41/qid/996) == "COMP"))	Veuillez saisir le mot de passe : [Aide : Ce mot de passe vous a été donné par l'ALB. En cas d'oubli ou de non distribution, prenez ces réponses".] Attribut de la question Valeur location_mapwidth 500 location_mapheight 300 location_mapzoom 11 hide_tip 1 maximum_chars 11 text_input_width 12 regex_validation /competalb54/	
G-6	Activité compétitive [GID 42 (/index.php/admin/questiongroups/sa/view/surveyid/648372/gid/42)]	LOUC.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/41/qid/996) == "COMP"	Choix de l'activité compétitive	
Q-46	*GYMCOMPET [QID 1006 (/index.php/admin/questions/sa/view/surveyid/648372/gid/42/qid/1006)] Liste (Boutons radio) [L]	1	Veuillez sélectionner l'activité de gymnastique compétitive (GR-GAF- GAM) Attribut de la question Valeur display_columns 1 hide_tip 1	
A[0]-1	GA23E	[VALUE: 0]	CGA_23E_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1038) CGA_23E_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1038) CG	
A[0]-2	GA4E	[VALUE: 0]	CGA_4E_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1038) CGA_4E_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1038) CG	
A[0]-3	GA5E	[VALUE: 0]	CGA_5E_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1038) CGA_5E_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1038) CG	
A[0]-4	GR1E	[VALUE: 0]	CGR_1E_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1039) CGR_1E_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1039) CG	

A[0]-5	GR23E	[VALUE: 0]	CGR_23E_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1039) C CGR_23E_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1039) C
A[0]-6	HACLG	[VALUE: 0]	CHA_CLG_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1040) C CHA_CLG_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1040) C
G-7	Activités de loisirs [GID 43 (/index.php/admin/questiongroups/sa/view/surveyid/648372/gid/43)]	LOUC.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/41/qid/996) == "LOIS"	Vous avez choisi d'inscrire l'adhérent à une plusieurs activités de loisirs. Seules les activités correspondant à l'âge de l'adhérent vous sont proposées.
Q-47	*TYPACTLOIS [QID 1008 (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1008)] Choix multiples [M]	1	Pour quel(s) type(s) d'activités voulez-vous inscrire l'adhérent ? Attribut de la question Valeur assessment_value 1 display_columns 1 statistics_showgraph 1 hide_tip 1
SQ-1	TYPACTLOIS_EVOLUGYM	date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) >= 2001 AND date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) <= 2016	Loisirs - EVOLUGYM (Gymnastique aux agrés - minis ateliers - circuits)
SQ-2	TYPACTLOIS_GRLOIS	date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) >= 1999 AND (date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) <= 2012)	Loisirs - Gymnastique rythmique (Ruban massues cerceau ballon corde)
SQ-3	TYPACTLOIS_ACROLOIS	date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) >= 1999 AND (date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) <= 2011)	Loisirs - Activités acrobatiques

SQ-4	TYPACTLOIS_ETUDADULT	<code>intval((strtotime("now") - strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) / 60 / 60 / 24 / 365.242) >= 18</code>	Loisirs - Etudiants / Adultes (18 ans et +)	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
SQ-5	TYPACTLOIS_BENEVOL		Loisirs - Bénévoles	
Q-48	*ACTEVOLUGYM [QID 1007 (/index.php/admin /questions/sa/view/surveyid /648372/gid/43/qid/1007)] Choix multiples [M]	<code>((TYPACTLOIS_EVOLUGYM.NAOK (/index.php/admin/questions /sa/view/surveyid/648372/gid/43 /qid/1008) == "Y"))</code>	Pour quelle activité EVOLUGYM voulez-vous inscrire l'adhérent ? Attribut de la question Valeur	assessment_value 1 display_columns 1 statistics_showgraph 1 hide_tip 1 max_answers 1 min_answers 1
SQ-1	ACTEVOLUGYM_BABY	<code>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= 2013 and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= 2016</code>	Baby	
SQ-2	ACTEVOLUGYM_BAMB	<code>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) == 2011 or date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) == 2012</code>	Bambinos	
SQ-3	ACTEVOLUGYM_ACROBAT	<code>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) == 2009 or date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) == 2010</code>	Acrobates	

SQ-4	ACTEVOLUGYM_FUN	<code>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= 2006 and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= 2008</code>	Fun	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
SQ-5	ACTEVOLUGYM_GYMPRADO	<code>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= 2003 and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= 2005</code>	Gym pré-ados	
SQ-6	ACTEVOLUGYM_GYMADO	<code>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) == 2001 or date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) == 2002</code>	Gym ados	
Q-49	*EVGYMBABY [QID 998 (/index.php/admin /questions/sa/view/surveyid /648372/gid/43/qid/998)] Choix multiples [M]	<code>((ACTEVOLUGYM_BABY.NAOK (/index.php/admin/questions /sa/view/surveyid/648372/gid/43 /qid/1007) == "Y"))</code>	Dans quelle catégorie ? Attribut de la question assessment_value 1 display_columns 1 statistics_showgraph 1 hide_tip 1 max_answers 1 min_answers 1	

SQ-1	EVGYMBABY_BABY1	<pre>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= LEV_BAB1_INF (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= LEV_BAB1_SUP (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025)</pre>	<pre>LEV_BAB1_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB1_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB1_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB1_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB1_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>
SQ-2	EVGYMBABY_BABY2	<pre>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= LEV_BAB2_INF (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= LEV_BAB2_SUP (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025)</pre>	<pre>LEV_BAB2_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB2_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB2_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB2_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB2_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>
SQ-3	EVGYMBABY_BABY3	<pre>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= LEV_BAB3_INF (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= LEV_BAB3_SUP (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025)</pre>	<pre>LEV_BAB3_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB3_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB3_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB3_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAB3_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>

Q-50	*EVGYMBAMB [QID 1009 (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1009)] Choix multiples [M]	((ACTEVOLUGYM_BAMB.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1007) == "Y"))	Dans quelle catégorie ? Attribut de la question assessment_value 1 display_columns 1 statistics_showgraph 1 hide_tip 1 max_answers 1 min_answers 1	Fermer (/index.php/admin/survey/sa/view/surveyid/648372)
SQ-1	EVGYMBAMB_BAMB1	date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) >= LEV_BAM1_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) <= LEV_BAM1_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)	LEV_BAM1_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAM1_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAM1_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAM1_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAM1_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)	
SQ-2	EVGYMBAMB_BAMB2	date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) >= LEV_BAM2_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) <= LEV_BAM2_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)	LEV_BAM2_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAM2_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAM2_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAM2_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_BAM2_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)	
Q-51	*EVGYMACROB [QID 1010 (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1010)] Choix multiples [M]	((ACTEVOLUGYM_ACROBAT.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1007) == "Y"))	Dans quelle catégorie ? Attribut de la question assessment_value 1 display_columns 1 statistics_showgraph 1 hide_tip 1 max_answers 1 min_answers 1	

SQ-1	EVGYMACROB_ACRO1	<pre>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= LEV_ACRO1_INF (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= LEV_ACRO1_SUP (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025)</pre>	<pre>LEV_ACRO1_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO1_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO1_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO1_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO1_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO1_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO1_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>
SQ-2	EVGYMACROB_ACRO2	<pre>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= LEV_ACRO2_INF (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= LEV_ACRO2_SUP (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025)</pre>	<pre>LEV_ACRO2_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO2_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO2_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO2_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO2_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO2_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO2_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>
SQ-3	EVGYMACROB_ACRO3	<pre>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= LEV_ACRO3_INF (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= LEV_ACRO3_SUP (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025)</pre>	<pre>LEV_ACRO3_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO3_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO3_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO3_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO3_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO3_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ACRO3_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>

Q-52	*EVGYMFUN [QID 1011 (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1011)] Choix multiples [M]	<pre>((ACTEVOLUGYM_FUN.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1007) == "Y"))</pre>	Dans quelle catégorie ? Attribut de la question Valeur assessment_value 1 display_columns 1 statistics_showgraph 1 hide_tip 1 max_answers 1 min_answers 1	<div style="border: 1px solid red; padding: 2px; display: inline-block;"> Fermer (/index.php/admin/survey/sa/view/surveyid/648372) </div>
SQ-1	EVGYMFUN_FUN1G1	<pre>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) >= LEV_FUN1G1_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) <= LEV_FUN1G1_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>	<pre>LEV_FUN1G1_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G1_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G1_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G1_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G1_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G1_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G1_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>	
SQ-2	EVGYMFUN_FUN1G2	<pre>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) >= LEV_FUN1G2_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) <= LEV_FUN1G2_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>	<pre>LEV_FUN1G2_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G2_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G2_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G2_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G2_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G2_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G2_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>	

SQ-3	EVGYMFUN_FUN1G3	<pre>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= LEV_FUN1G3_INF (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= LEV_FUN1G3_SUP (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025)</pre>	<pre>LEV_FUN1G3_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G3_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G3_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G3_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G3_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G3_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN1G3_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>
SQ-4	EVGYMFUN_FUN2	<pre>date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) >= LEV_FUN2_INF (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025) and date("Y", strtotime(DATNAISSADH (/index.php/admin/questions /sa/view/surveyid/648372/gid/39 /qid/987))) <= LEV_FUN2_SUP (/index.php/admin/questions /sa/view/surveyid/648372/gid/45 /qid/1025)</pre>	<pre>LEV_FUN2_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN2_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN2_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN2_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_FUN2_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>
Q-53	<p>*EVGYMPRADO [QID 1012 (/index.php/admin /questions/sa/view/surveyid /648372/gid/43/qid/1012)] Choix multiples [M]</p>	<pre>((ACTEVOLUGYM_GYMPRADO.NAOK (/index.php/admin/questions /sa/view/surveyid/648372/gid/43 /qid/1007) == "Y"))</pre>	<p>Attribut de la question Valeur</p> <pre>assessment_value 1 display_columns 1 statistics_showgraph 1 hide_tip 1</pre>
SQ-1	EVGYMPRADO_PRADO		<pre>LEV_PRADO_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_PRADO_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_PRADO_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_PRADO_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_PRADO_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_PRADO_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_PRADO_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)</pre>

Q-54	*EVGYMADO [QID 1013 (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1013)] Choix multiples [M]	((ACTEVOLUGYM_GYMADO.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1007) == "Y"))	<div style="text-align: right; border: 1px solid black; padding: 2px;">Fermer (/index.php/admin/survey/sa/view/surveyid/648372)</div> Attribut de la question Valeur assessment_value 1 display_columns 1 statistics_showgraph 1 hide_tip 1
SQ-1	EVGYMADO_GYMADO	date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) == 2001 or date("Y", strtotime(DATNAISSADH (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987))) == 2002	LEV_ADO_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) L LEV_ADO_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) LEV_ADO_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025) L LEV_ADO_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1025)
Q-55	*GRLOIS [QID 999 (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/999)] Choix multiples [M]	((TYPACTLOIS_GRLOIS.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1008) == "Y"))	Dans quelle catégorie ? Attribut de la question Valeur assessment_value 1 display_columns 1 statistics_showgraph 1 hide_tip 1
SQ-1	GRLOIS_ACGRO1		LGR_ACGRO1_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO1_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO1_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO1_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO1_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO1_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO1_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103)
SQ-2	GRLOIS_FUN		LGR_FUN_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1034) L LGR_FUN_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1034) LGR_FUN_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1034) L LGR_FUN_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1034)
SQ-3	GRLOIS_BAM		LGR_BAM_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1034) L LGR_BAM_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1034) LGR_BAM_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1034) L LGR_BAM_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1034)
SQ-4	GRLOIS_ACGRO2		LGR_ACGRO2_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO2_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO2_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO2_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO2_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO2_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103) LGR_ACGRO2_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/103)

Q-56	*ACROBAT [QID 1000 (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1000)] Choix multiples [M]	((TYPACTLOIS_ACROLOIS.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1008) == "Y"))	<p>Dans quelle catégorie ?</p> <p>Attribut de la question Valeur</p> <p>assessment_value 1</p> <p>display_columns 1</p> <p>statistics_showgraph 1</p> <p>hide_tip 1</p>	<p>Fermer (/index.php/admin/survey/sa/view/surveyid/648372)</p>
SQ-1	ACROBAT_KANG		<p>LAC_KANG_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_KANG_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_KANG_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_KANG_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_KANG_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p>	
SQ-2	ACROBAT_TRADO		<p>LAC_TRADO_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_TRADO_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_TRADO_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_TRADO_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_TRADO_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_TRADO_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_TRADO_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p>	
SQ-3	ACROBAT_STREET		<p>LAC_STREET_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_STREET_INF (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_STREET_SUP (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_STREET_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_STREET_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_STREET_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p> <p>LAC_STREET_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1035)</p>	
Q-57	*ETUDADULT [QID 1001 (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1001)] Choix multiples [M]	((TYPACTLOIS_ETUDADULT.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1008) == "Y"))	<p>[Aide :</p> <p>if(ETUDADULT_ANCGYM.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1008) == "Y")</p> <p>if('[ETUDADULT.nb.ANCGYM]' >= 20, "La capacité d'accueil étant atteinte, l'adhérent sera in</p> <p>if(ETUDADULT_ETUDGR.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1008) == "Y")</p> <p>if('[ETUDADULT.nb.ETUDGR]' >= 20, "La capacité d'accueil étant atteinte, l'adhérent sera in</p> <p>if(ETUDADULT_MUSCU.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1008) == "Y")</p> <p>]</p> <p>Attribut de la question Valeur</p> <p>assessment_value 1</p> <p>display_columns 1</p> <p>statistics_showgraph 1</p> <p>hide_tip 1</p>	

SQ-1	ETUDADULT_ANCGYM		LETAD_ANCGYM_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_ANCGYM_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_ANCGYM_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_ANCGYM_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_ANCGYM_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037)
SQ-2	ETUDADULT_ETUDGR		LETAD_ETUDGR_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_ETUDGR_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_ETUDGR_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_ETUDGR_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_ETUDGR_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037)
SQ-3	ETUDADULT_MUSCU		LETAD_MUSCU_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_MUSCU_J (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_MUSCU_H (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_MUSCU_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LETAD_MUSCU_L (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037)
Q-58	*BENEVOL [QID 1002 (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1002)] Choix multiples [M]	((TYPACTLOIS_BENEVOL.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1008) == "Y"))	Attribut de la question Valeur assessment_value 1 display_columns 1 statistics_showgraph 1 hide_tip 1
SQ-1	BENEVOL_CADJUG		LB_CADJUG_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037) LB_CADJUG_P (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037)
SQ-2	BENEVOL_CA		LB_CA_N (/index.php/admin/questions/sa/view/surveyid/648372/gid/45/qid/1037)
G-8	Votre fiche d'inscription [GID 48 (/index.php/admin/questiongroups/sa/view/surveyid/648372/gid/48)]	1	

Q-59

FICHE*1**

[QID 1041 (/index.php/admin/questions/sa/view/surveyid/648372/gid/48/qid/1041)]
Oui/Non [Y]

Fermer (/index.php/admin/survey/sa/view/surveyid/648372)

FICHE D'INSCRIPTION

IDENTADH_adrenom.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/986) |
vous vous êtes if((SEXADH.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/986) == "M"), "ma
saison sportive 2017-2018 en section LOUC.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/987)

IDENTITE DE L'ADHERENT

IDENTADH_adrenom.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/986) |
né(e) le DATNAISSADH.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/987),
if((SEXADH.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/988) == "M"), "ma

ACTIVITE à laquelle l'adhérent est if((SEXADH.NAOK (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/998) == "M"), "ma
EVBABY_BABY1.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/998)EV
EVBABY_BABY3.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/998)EV
EVBAMB_BAMB2.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1009)
EVMACROB_ACRO1.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1010)
EVMACROB_ACRO2.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1010)
EVMACROB_ACRO3.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1010)
EVMFUN_FUN1G2.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1011) |
EVMFUN_FUN2.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1011)EV
EVMADO_GYMADO.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1013)
GRLOIS_ACGRO2.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/999) GRLOIS_ACGRO3.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/999) ACROBAT
ACROBAT_TRADO.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1000)ACROBAT_TRADO.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1000)ACROBAT
ETUDADULT_ANCGYM.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1001)ETUDADULT_ANCGYM.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1001)ETUDADULT
ETUDADULT_MUSCU.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1001)ETUDADULT_MUSCU.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1001)ETUDADULT
BENEVOL_CA.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1002)GYMCOACHING.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/43/qid/1002)GYMCOACHING

COORDONNEES DE CONTACT DE ADHERENT ET DES RESPONSABLES

Téléphone : TELADH.shown (/index.php/admin/questions/sa/view/surveyid/648372/gid/39/qid/990)Adr

Attribut de la question Valeur

statistics_showgraph 1