

Twig_Error_Loader

Unable to find template "./subviews/content/main" (looked into: /var/www/html/application/views, /var/www/html/upload/themes/survey/cec/views, /var/www/html/upload/themes/survey/eduspot/views, /var/www/html/themes/survey/vanilla/views).

/var/www/html/themes/survey/vanilla/views/subviews/content/mainrow.twig(28)

```
16 <!-- Main Row -->
17 <div id="{{ aSurveyInfo.id.mainrow }}" {{ aSurveyInfo.attr.mainrow }} >
18   <!-- Main Col -->
19   <div class="{{ aSurveyInfo.class.maincol }}" col-centered space-col" id="{{ aSurveyInfo.id.maincol }}" {{ aSur
20
21       {# This is the main block that will be replaced/extended by other layouts#}
22
23       {# Include the various Warnings (preview mode, unanswered mandatory questions, etc) #}
24       {{ include('./subviews/messages/warnings.twig') }}
25
26       {# Wich file to include for content is decided inside the layout #}
27       {% if(include_content) != "./subviews/content/" %}
28         {{ include(include_content) }}
29       {% endif %}
30
31
32   </div> <!-- main col -->
33 </div> <!-- main row -->
```

Stack Trace

#0 /var/www/html/application/third_party/Twig/Loader/Filesystem.php(159): **Twig_Loader_Filesystem->findTemplate**("./subviews/content/main")

```
154 /**
155  * {@inheritdoc}
156  */
157 public function getCacheKey($name)
158 {
159     $path = $this->findTemplate($name);
160     $len = strlen($this->rootPath);
161     if (0 === strpos($this->rootPath, $path, $len)) {
162         return substr($path, $len);
163     }
164 }
```

#1 /var/www/html/application/third_party/Twig/Environment.php(329): **Twig_Loader_Filesystem->getCacheKey**("./subviews/content/main")

```
324 *
325 * @return string The template class name
326 */
327 public function getTemplateClass($name, $index = null)
328 {
329     $key = $this->getLoader()->getCacheKey($name).$this->optionsHash;
330
331     return $this->templateClassPrefix.hash('sha256', $key).(null === $index ? '' : '_' . $index);
332 }
333
334 /**
```

#2 /var/www/html/application/third_party/Twig/Environment.php(418): **Twig_Environment->getTemplateClass**("./subviews/content/main", null)

```
413 *
414 * @internal
415 */
416 public function loadTemplate($name, $index = null)
417 {
418     $cls = $this->getTemplateClass($name, $index);
419
420     if (isset($this->loadedTemplates[$cls])) {
421         return $this->loadedTemplates[$cls];
422     }
423 }
```

#3 /var/www/html/application/third_party/Twig/Environment.php(559): **Twig_Environment->loadTemplate**("./subviews/content/main")

```
554     if ($name instanceof Twig_Template) {
555         return $name;
556     }
557
558     try {
559         return $this->loadTemplate($name);
560     } catch (Twig_Error_Loader $e) {
561     }
562 }
```



```

439     } catch (Twig_Error $e) {
440         if (!$e->getSourceContext()) {
441             $e->setSourceContext($this->getSourceContext());
442         }
443     }

```

#10 /var/www/html/application/third_party/Twig/Template.php(406): **Twig_Template->displayWithErrorHandling**(array("oSurvey" => Survey, "aSurveyInfo" =>

```

401     /**
402      * {@inheritdoc}
403      */
404     public function display(array $context, array $blocks = array())
405     {
406         $this->displayWithErrorHandling($this->env->mergeGlobals($context), array_merge($this->blocks, $bloc
407     }
408
409     /**
410      * {@inheritdoc}
411      */

```

#11 /var/www/html/tmp/runtime/twig_cache/4f/4f8e4b267c43f606b0dce5d445b670dbef8873c0ff57e33c453cecce0272a535.php(198): **Twig_Template->display**(arr
ETwigViewRenderYiiCoreStaticClassesProxy, ...))

```

193         // line 113
194         echo "                ";
195         $context["sViewContent"] = ("./subviews/content/" . $this->getAttribute(($context["aSurveyInfo"] ??
196         // line 114
197         echo "                ";
198         $this->loadTemplate("./subviews/content/outerframe.twig", "__string_template__1b9d5c78238fea2cd61c9b
199         // line 115
200         echo "                ";
201     }
202
203     public function getTemplateName()

```

#12 /var/www/html/application/third_party/Twig/Template.php(215): **__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461**
ETwigViewRenderYiiCoreStaticClassesProxy, ...), array("body" => array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748f
array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748faf1, "block_content")))

```

210         throw new LogicException('A block must be a method on a Twig_Template instance.');
```

```

211     }
212
213     if (null !== $template) {
214         try {
215             $template->$block($context, $blocks);
216         } catch (Twig_Error $e) {
217             if (!$e->getSourceContext()) {
218                 $e->setSourceContext($template->getSourceContext());
219             }
220         }

```

#13 /var/www/html/tmp/runtime/twig_cache/4f/4f8e4b267c43f606b0dce5d445b670dbef8873c0ff57e33c453cecce0272a535.php(154): **Twig_Template->displayBlo**
ETwigViewRenderYiiCoreStaticClassesProxy, ...), array("body" => array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748f
array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748faf1, "block_content")))

```

149         // line 106
150         echo "
151         <!-- Outer Frame Container -->
152         ";
153         // line 108
154         $this->displayBlock('content', $context, $blocks);
155         // line 116
156         echo "
157         ";
158         // line 118
159         echo "                ";

```

#14 /var/www/html/application/third_party/Twig/Template.php(215): **__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461**
ETwigViewRenderYiiCoreStaticClassesProxy, ...), array("body" => array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748f
array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748faf1, "block_content")))

```

210         throw new LogicException('A block must be a method on a Twig_Template instance.');
```

```

211     }
212
213     if (null !== $template) {
214         try {
215             $template->$block($context, $blocks);
216         } catch (Twig_Error $e) {
217             if (!$e->getSourceContext()) {
218                 $e->setSourceContext($template->getSourceContext());
219             }
220         }

```

#15 /var/www/html/tmp/runtime/twig_cache/4f/4f8e4b267c43f606b0dce5d445b670dbef8873c0ff57e33c453cecce0272a535.php(114): **Twig_Template->displayBlo**
ETwigViewRenderYiiCoreStaticClassesProxy, ...), array("body" => array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748f
array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748faf1, "block_content")))

```

109 // line 91
110 echo $this->env->getExtension('Twig_Extension_Sandbox')->ensureToStringAllowed($this->getAttribute($
111 echo "\")>
112     ";
113 // line 92
114 $this->displayBlock('body', $context, $blocks);
115 // line 129
116 echo "         </div>
117 </article>
118 <div id=\"\"bottomScripts\" class=\"script-container\">
119     <###end###>

```

#16 /var/www/html/application/third_party/Twig/Template.php(438): **__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461**
 ETwigViewRendererYiiCoreStaticClassesProxy, ...) , array("body" => array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748f
 array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748faf1, "block_content")))

```

433     }
434
435     protected function displayWithErrorHandling(array $context, array $blocks = array())
436     {
437         try {
438             $this->doDisplay($context, $blocks);
439         } catch (Twig_Error $e) {
440             if (!$e->getSourceContext()) {
441                 $e->setSourceContext($this->getSourceContext());
442             }
443         }

```

#17 /var/www/html/application/third_party/Twig/Template.php(406): **Twig_Template->displayWithErrorHandling**(array("oSurvey" => Survey, "aSurveyInfo" =>
 array(__TwigTemplate_bc1d5b2b05d98025cca081c96a6f1ebb30dc5667e51c1e49aab9bc461748faf1, "block_body"), "progress" => array(__TwigTemplate_bc1d5b2b
 "block_content")))

```

401     /**
402      * {@inheritdoc}
403     */
404     public function display(array $context, array $blocks = array())
405     {
406         $this->displayWithErrorHandling($this->env->mergeGlobals($context), array_merge($this->blocks, $bloc
407     )
408
409     /**
410      * {@inheritdoc}
411     */

```

#18 /var/www/html/application/third_party/Twig/Template.php(417): **Twig_Template->display**(array("oSurvey" => Survey, "aSurveyInfo" => array("htmlmail" =

```

412     public function render(array $context)
413     {
414         $level = ob_get_level();
415         ob_start();
416         try {
417             $this->display($context);
418         } catch (Exception $e) {
419             while (ob_get_level() > $level) {
420                 ob_end_clean();
421             }
422         }

```

#19 /var/www/html/application/core/LSETwigViewRenderer.php(232): **Twig_Template->render**(array("oSurvey" => Survey, "aSurveyInfo" => array("htmlmail" =

```

227     // Plugin for blocks replacement
228     list($sString, $aDatas) = $this->getPluginsData($sString, $aDatas);
229
230     // Twig rendering
231     $oTwigTemplate = $twig->createTemplate($sString);
232     $sHtml         = $oTwigTemplate->render($aDatas, false);
233
234     return $sHtml;
235 }
236
237 /**

```

#20 /var/www/html/application/core/LSETwigViewRenderer.php(42): **LSETwigViewRenderer->convertTwigToHtml**("{# LimeSurvey Copyright (C) 2007-2017 The

```

37     {
38         $oTemplate = Template::model()->getInstance();
39         $oLayoutTemplate = $this->getTemplateForView($sLayout, $oTemplate);
40         if ($oLayoutTemplate) {
41             $line         = file_get_contents($oLayoutTemplate->viewPath.$sLayout);
42             $sHtml        = $this->convertTwigToHtml($line, $aDatas, $oTemplate);
43
44             if ($bReturn) {
45                 return $sHtml;
46             } else {
47                 $this->renderHtmlPage($sHtml, $oTemplate);

```

#21 /var/www/html/application/helpers/SurveyRuntimeHelper.php(470): **LSETwigViewRenderer->renderTemplateFromFile**("layout_global.twig", array("oSurvey"

```
465         $this->aSurveyInfo['aLEM']['debugvalidation']['show'] = true;
466         $this->aSurveyInfo['aLEM']['debugvalidation']['message'] = $this->aMoveResult['message'];
467     }
468
469     $this->aSurveyInfo['include_content'] = 'main';
470     Yii::app()->twigRenderer->renderTemplateFromFile("layout_global.twig", array('oSurvey'=> Survey::mod
471 )
472
473     public function getShowNumAndCode()
474     {
475
```

#22 /var/www/html/application/controllers/survey/index.php(598): **SurveyRuntimeHelper->run**("352811", array("surveyid" => "352811", "thissurvey" => array("h

```
593         unset($redata);
594         $redata = compact(array_keys(get_defined_vars()));
595         Yii::import('application.helpers.SurveyRuntimeHelper');
596         $tmp = new SurveyRuntimeHelper();
597         // try {
598             $tmp->run($surveyid, $redata);
599         // } catch (WrongTemplateVersionException $ex) {
600             //     echo $ex->getMessage();
601         // }
602
603         if (App()->request->getPost('saveall')) {
```

#23 /var/www/html/application/controllers/survey/index.php(24): **index->action**()

```
19     public $oTemplate;
20
21     public function run()
22     {
23         useFirebug();
24         $this->action();
25     }
26
27     public function action()
28     {
29         global $surveyid;
```

#24 /var/www/html/framework/web/actions/CAction.php(76): **index->run**()

```
71     {
72         $method=new ReflectionMethod($this, 'run');
73         if($method->getNumberOfParameters(>0)
74             return $this->runWithParamsInternal($this, $method, $params);
75
76         $this->run();
77         return true;
78     }
79
80     /**
81     * Executes a method of an object with the supplied named parameters.
```

#25 /var/www/html/framework/web/CController.php(308): **CAction->runWithParams**(array("lang" => "fr", "sid" => "352811"))

```
303     {
304         $priorAction=$this->_action;
305         $this->_action=$action;
306         if($this->beforeAction($action)
307         {
308             if($action->runWithParams($this->getActionParams())===false)
309                 $this->invalidActionParams($action);
310             else
311                 $this->afterAction($action);
312         }
313         $this->_action=$priorAction;
```

#26 /var/www/html/framework/web/CController.php(286): **CController->runAction**(index)

```
281     * @see runAction
282     */
283     public function runActionWithFilters($action,$filters)
284     {
285         if(empty($filters))
286             $this->runAction($action);
287         else
288         {
289             $priorAction=$this->_action;
290             $this->_action=$action;
291             CFilterChain::create($this,$action,$filters)->run();
```

#27 /var/www/html/framework/web/CController.php(265): **CController->runActionWithFilters**(index, array())

```

260     {
261         if(($parent=$this->getModule())===null)
262             $parent=Yii::app();
263         if($parent->beforeControllerAction($this,$action))
264             {
265                 $this->runActionWithFilters($action,$this->filters());
266                 $parent->afterControllerAction($this,$action);
267             }
268     }
269     else
270         $this->missingAction($actionID);

```

#28 `/var/www/html/framework/web/CWebApplication.php(282): CController->run("index")`

```

277     {
278         list($controller,$actionID)=$ca;
279         $oldController=$this->_controller;
280         $this->_controller=$controller;
281         $controller->init();
282         $controller->run($actionID);
283         $this->_controller=$oldController;
284     }
285     else
286         throw new CHttpException(404,Yii::t('yii','Unable to resolve the request "{route}.'.
287             array('{route}'=>$route===''?$this->defaultController:$route));

```

#29 `/var/www/html/framework/web/CWebApplication.php(141): CWebApplication->runController("survey/index/sid/352811")`

```

136         foreach(array_splice($this->catchAllRequest,1) as $name=>$value)
137             $_GET[$name]=$value;
138     }
139     else
140         $route=$this->getUrlManager()->parseUrl($this->getRequest());
141     $this->runController($route);
142 }
143
144 /**
145  * Registers the core application components.
146  * This method overrides the parent implementation by registering additional core components.

```

#30 `/var/www/html/framework/base/CApplication.php(185): CWebApplication->processRequest()`

```

180     public function run()
181     {
182         if($this->hasEventHandler('onBeginRequest'))
183             $this->onBeginRequest(new CEvent($this));
184         register_shutdown_function(array($this,'end'),0,false);
185         $this->processRequest();
186         if($this->hasEventHandler('onEndRequest'))
187             $this->onEndRequest(new CEvent($this));
188     }
189
190     /**

```

#31 `/var/www/html/index.php(194): CApplication->run()`

```

189     require_once APPPATH . 'core/LSYii_Application' . EXT;
190
191     $config = require_once(APPPATH . 'config/internal' . EXT);
192
193     Yii::$enableIncludePath = false;
194     Yii::createApplication('LSYii_Application', $config)->run();
195
196     /* End of file index.php */
197     /* Location: ./index.php */

```

2018-02-15 11:29:07 Apache/2.4.18 (Ubuntu) [Yii Framework/1.1.18](#)

Sommaire du rapport de profilage (Durée: 0.17661s, Mémoire: 6,253KB)
Fonction

	Nb	Total	Moy.	Min.	Max.
	(s)	(s)	(s)	(s)	(s)
system.db.CDbCommand.query(SELECT `t`.`surveyls_survey_id` AS `t0_c0`, `t`.`surveyls_language` AS `t0_c1`, `t`.`surveyls_title` AS `t0_c2`, `t`.`surveyls_description` AS `t0_c3`, `t`.`surveyls_welcometext` AS `t0_c4`, `t`.`surveyls_endtext` AS `t0_c5`, `t`.`surveyls_url` AS `t0_c6`, `t`.`surveyls_urldescription` AS `t0_c7`, `t`.`surveyls_email_invite_subj` AS `t0_c8`, `t`.`surveyls_email_invite` AS `t0_c9`, `t`.`surveyls_email_remind_subj` AS `t0_c10`, `t`.`surveyls_email_remind` AS `t0_c11`, `t`.`surveyls_email_register_subj` AS `t0_c12`, `t`.`surveyls_email_register` AS `t0_c13`, `t`.`surveyls_email_confirm_subj` AS `t0_c14`, `t`.`surveyls_email_confirm` AS `t0_c15`, `t`.`surveyls_dateformat` AS `t0_c16`, `t`.`surveyls_attributecaptions` AS `t0_c17`, `t`.`email_admin_notification_subj` AS `t0_c18`, `t`.`email_admin_notification` AS `t0_c19`, `t`.`email_admin_responses_subj` AS `t0_c20`, `t`.`email_admin_responses` AS `t0_c21`, `t`.`surveyls_numberformat` AS `t0_c22`, `t`.`attachments` AS `t0_c23`, `survey`.`sid` AS `t1_c0`, `survey`.`owner_id` AS `t1_c1`, `survey`.`gsid` AS `t1_c2`, `survey`.`admin` AS `t1_c3`, `survey`.`active` AS `t1_c4`, `survey`.`expires` AS `t1_c5`, `survey`.`startdate` AS `t1_c6`, `survey`.`adminemail` AS `t1_c7`, `survey`.`anonymized` AS `t1_c8`, `survey`.`faxto` AS `t1_c9`, `survey`.`format` AS `t1_c10`, `survey`.`savetimings` AS `t1_c11`, `survey`.`template` AS `t1_c12`, `survey`.`language` AS `t1_c13`, `survey`.`additional_languages` AS `t1_c14`, `survey`.`timestamp` AS `t1_c15`, `survey`.`usecookie` AS `t1_c16`, `survey`.`allowregister` AS `t1_c17`, `survey`.`allowsave` AS `t1_c18`, `survey`.`autonumber_start` AS `t1_c19`, `survey`.`autoredirect` AS `t1_c20`, `survey`.`allowprev` AS `t1_c21`, `survey`.`printanswers` AS `t1_c22`, `survey`.`ipaddr` AS `t1_c23`, `survey`.`refurl` AS `t1_c24`, `survey`.`datecreated` AS `t1_c25`, `survey`.`publicstatistics` AS `t1_c26`, `survey`.`publicgraphs` AS `t1_c27`, `survey`.`listpublic` AS `t1_c28`, `survey`.`htmlmail` AS `t1_c29`, `survey`.`sendconfirmation` AS `t1_c30`, `survey`.`tokenswiperspersistence` AS `t1_c31`, `survey`.`assessments` AS `t1_c32`, `survey`.`usecaptcha` AS `t1_c33`, `survey`.`usetokens` AS `t1_c34`, `survey`.`bounce_email` AS `t1_c35`, `survey`.`attributedescriptions` AS `t1_c36`, `survey`.`emailresponseto` AS `t1_c37`, `survey`.`emailnotificationto` AS `t1_c38`, `survey`.`tokenlength` AS `t1_c39`, `survey`.`showxquestions` AS `t1_c40`, `survey`.`showgroupinfo` AS `t1_c41`, `survey`.`shownoanswer` AS `t1_c42`, `survey`.`showqnumcode` AS `t1_c43`, `survey`.`bounce_time` AS `t1_c44`, `survey`.`bounceprocessing` AS `t1_c45`, `survey`.`bounceaccounttype` AS `t1_c46`, `survey`.`bounceaccounthost` AS `t1_c47`,	1	0.005710	0.005710	0.005710	0.005710

```

'survey'.bounceaccountpass AS `t1_c48`, 'survey'.bounceaccountencryption AS `t1_c49`, 'survey'.bounceaccountuser AS `t1_c50`,
'survey'.showwelcome AS `t1_c51`, 'survey'.showprogress AS `t1_c52`, 'survey'.questionindex AS `t1_c53`, 'survey'.navigationdelay AS
`t1_c54`, 'survey'.nokeyboard AS `t1_c55`, 'survey'.alloweditaftercompletion AS `t1_c56`, 'survey'.googleanalyticsstyle AS `t1_c57`,
'survey'.googleanalyticsapikey AS `t1_c58` FROM `lime_surveys_languagesettings` `t` LEFT OUTER JOIN `lime_surveys` `survey` ON
(t.surveyls_survey_id = survey.sid) WHERE (`t`.surveyls_survey_id=352811 AND `t`.surveyls_language='fr')
system.db.CdbCommand.query(SELECT * FROM lime_answers WHERE qid='42' AND language='fr' and scale_id=0 ORDER BY sortorder, answer) 1 0.003790.003790.003790.00379
system.db.CdbCommand.query(SELECT * FROM `lime_settings_global` `t`) 1 0.003570.003570.003570.00357
system.db.CdbCommand.query(SELECT * FROM `lime_template_configuration` `t` WHERE template_name=:template_name AND sid IS NULL AND gsid IS
NULL LIMIT 1. Bound with :template_name='vanilla') 1 0.001650.001650.001650.00165
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE qid=:qid LIMIT 1. Bound with :qid=42) 4 0.001380.000350.000060.00116
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_surveys`) 1 0.001360.001360.001360.00136
system.db.CdbCommand.query(SELECT * FROM `lime_surveys_groups` `t` WHERE `t`.gsid=1 LIMIT 1) 1 0.001330.001330.001330.00133
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_templates`) 1 0.001240.001240.001240.00124
system.db.CdbCommand.query(SELECT * FROM `lime_templates` `t` WHERE `t`.name='fruity' LIMIT 1) 1 0.001190.001190.001190.00119
system.db.CdbCommand.query(SELECT * FROM `lime_surveys` `t` WHERE `t`.sid=352811 LIMIT 1) 1 0.001140.001140.001140.00114
system.db.CdbCommand.query(SELECT * FROM `lime_plugins` `t` WHERE `t`.active=:yp0. Bound with :yp0=1) 1 0.001030.001030.001030.00103
system.db.CdbCommand.query(SELECT * FROM `lime_template_configuration` `t` WHERE (sid=:sid) AND (template_name=:template_name) LIMIT 1. Bound
with :sid='352811', :template_name='cec') 1 0.000960.000960.000960.00096
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_question_attributes`) 1 0.000770.000770.000770.00077
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_permissions`) 1 0.000700.000700.000700.00070
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE qid=:qid LIMIT 1. Bound with :qid=44) 4 0.000690.000170.000050.00053
system.db.CdbCommand.query(SELECT * FROM `lime_templates` `t` WHERE `t`.name='vanilla' LIMIT 1) 3 0.000690.000230.000050.00045
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_survey_352811`) 1 0.000690.000690.000690.00069
system.db.CdbCommand.query(SELECT `submitdate` FROM `lime_survey_352811` WHERE id=:id. Bound with :id='17') 1 0.000680.000680.000680.00068
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_surveys_groups`) 1 0.000650.000650.000650.00065
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE qid=:qid LIMIT 1. Bound with :qid=43) 4 0.000620.000150.000060.00039
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_settings_global`) 1 0.000610.000610.000610.00061
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_plugins`) 1 0.000600.000600.000600.00060
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE qid=:qid LIMIT 1. Bound with :qid=48) 4 0.000550.000140.000060.00034
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_questions`) 1 0.000550.000550.000550.00055
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE qid=:qid LIMIT 1. Bound with :qid=45) 4 0.000530.000130.000050.00037
system.db.CdbCommand.query(SELECT * FROM lime_answers WHERE qid='43' AND language='fr' and scale_id=0 ORDER BY sortorder, answer) 1 0.000520.000520.000520.00052
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_template_configuration`) 1 0.000510.000510.000510.00051
system.db.CdbCommand.query(SHOW FULL COLUMNS FROM `lime_surveys_languagesettings`) 1 0.000490.000490.000490.00049
system.db.CdbCommand.query(SELECT * FROM `lime_question_attributes` `t` WHERE qid=:qid. Bound with :qid=42) 4 0.000490.000120.000060.00031
system.db.CdbCommand.query(SHOW TABLES) 1 0.000480.000480.000480.00048
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE qid=:qid LIMIT 1. Bound with :qid=46) 4 0.000470.000120.000060.00026
system.db.CdbCommand.query(SELECT * FROM `lime_templates` `t` WHERE `t`.name='eduspot' LIMIT 1) 2 0.000460.000230.000080.00038
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE qid=:qid LIMIT 1. Bound with :qid=47) 4 0.000410.000100.000050.00026
system.db.CdbCommand.query(SELECT `template`.id AS `t1_c0`, `template`.name AS `t1_c1`, `template`.folder AS `t1_c2`, `template`.title AS
`t1_c3`, `template`.creation_date AS `t1_c4`, `template`.author AS `t1_c5`, `template`.author_email AS `t1_c6`, `template`.author_url AS
`t1_c7`, `template`.copyright AS `t1_c8`, `template`.license AS `t1_c9`, `template`.version AS `t1_c10`, `template`.api_version AS `t1_c11`,
`template`.view_folder AS `t1_c12`, `template`.files_folder AS `t1_c13`, `template`.description AS `t1_c14`, `template`.last_update AS
`t1_c15`, `template`.owner_id AS `t1_c16`, `template`.extends AS `t1_c17` FROM `lime_templates` `template` WHERE (`template`.name=:yp0).
Bound with :yp0='cec') 3 0.000410.000140.000060.00029
system.db.CdbCommand.query(SELECT * FROM `lime_question_attributes` `t` WHERE qid=:qid. Bound with :qid=48) 4 0.000370.000090.000040.00021
system.db.CdbCommand.query(SELECT * FROM `lime_question_attributes` `t` WHERE qid=:qid. Bound with :qid=43) 4 0.000360.000090.000050.00017
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE `t`.qid=43 AND `t`.language='fr' LIMIT 1) 2 0.000360.000180.000080.00027
system.db.CdbCommand.query(SELECT * FROM `lime_templates` `t` WHERE `t`.name='cec' LIMIT 1) 2 0.000340.000170.000080.00026
system.db.CdbCommand.query(SELECT * FROM `lime_settings_global` `t` WHERE stg_name=:name LIMIT 1. Bound with :name='DBVersion') 1 0.000340.000340.000340.00034
system.db.CdbCommand.query(SELECT * FROM `lime_question_attributes` `t` WHERE qid=:qid. Bound with :qid=46) 4 0.000330.000080.000050.00016
system.db.CdbCommand.query(SELECT `template`.id AS `t1_c0`, `template`.name AS `t1_c1`, `template`.folder AS `t1_c2`, `template`.title AS
`t1_c3`, `template`.creation_date AS `t1_c4`, `template`.author AS `t1_c5`, `template`.author_email AS `t1_c6`, `template`.author_url AS
`t1_c7`, `template`.copyright AS `t1_c8`, `template`.license AS `t1_c9`, `template`.version AS `t1_c10`, `template`.api_version AS `t1_c11`,
`template`.view_folder AS `t1_c12`, `template`.files_folder AS `t1_c13`, `template`.description AS `t1_c14`, `template`.last_update AS
`t1_c15`, `template`.owner_id AS `t1_c16`, `template`.extends AS `t1_c17` FROM `lime_templates` `template` WHERE (`template`.name=:yp0).
Bound with :yp0='vanilla') 1 0.000320.000320.000320.00032
system.db.CdbCommand.query(SELECT * FROM `lime_question_attributes` `t` WHERE qid=:qid. Bound with :qid=44) 4 0.000310.000080.000040.00018
system.db.CdbCommand.query(SELECT * FROM lime_questions WHERE parent_qid=48 AND language='fr' ORDER BY question_order) 1 0.000300.000300.000300.00030
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE `t`.qid=42 AND `t`.language='fr' LIMIT 1) 2 0.000290.000150.000060.00023
system.db.CdbCommand.query(SELECT * FROM `lime_question_attributes` `t` WHERE qid=:qid. Bound with :qid=45) 4 0.000290.000070.000040.00016
system.db.CdbCommand.query(SELECT * FROM `lime_question_attributes` `t` WHERE qid=:qid. Bound with :qid=47) 4 0.000290.000070.000040.00015
system.db.CdbCommand.query(SELECT * FROM `lime_template_configuration` `t` WHERE (gsid=:gsid) AND (template_name=:template_name) LIMIT 1.
Bound with :gsid='1', :template_name='cec') 1 0.000290.000290.000290.00029
system.db.CdbCommand.query(SELECT * FROM `lime_template_configuration` `t` WHERE template_name=:template_name AND sid IS NULL AND gsid IS
NULL LIMIT 1. Bound with :template_name='cec') 1 0.000280.000280.000280.00028
system.db.CdbCommand.query(SELECT * FROM `lime_template_configuration` `t` WHERE template_name=:template_name AND sid IS NULL AND gsid IS
NULL LIMIT 1. Bound with :template_name='eduspot') 1 0.000250.000250.000250.00025
system.db.CdbCommand.query(SELECT `template`.id AS `t1_c0`, `template`.name AS `t1_c1`, `template`.folder AS `t1_c2`, `template`.title AS
`t1_c3`, `template`.creation_date AS `t1_c4`, `template`.author AS `t1_c5`, `template`.author_email AS `t1_c6`, `template`.author_url AS
`t1_c7`, `template`.copyright AS `t1_c8`, `template`.license AS `t1_c9`, `template`.version AS `t1_c10`, `template`.api_version AS `t1_c11`,
`template`.view_folder AS `t1_c12`, `template`.files_folder AS `t1_c13`, `template`.description AS `t1_c14`, `template`.last_update AS
`t1_c15`, `template`.owner_id AS `t1_c16`, `template`.extends AS `t1_c17` FROM `lime_templates` `template` WHERE (`template`.name=:yp0).
Bound with :yp0='eduspot') 1 0.000220.000220.000220.00022
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_templates`) 1 0.000200.000200.000200.00020
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE `t`.qid=46 AND `t`.language='fr' LIMIT 1) 1 0.000200.000200.000200.00020
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE `t`.qid=45 AND `t`.language='fr' LIMIT 1) 1 0.000190.000190.000190.00019
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE `t`.qid=47 AND `t`.language='fr' LIMIT 1) 1 0.000180.000180.000180.00018
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE `t`.qid=44 AND `t`.language='fr' LIMIT 1) 1 0.000180.000180.000180.00018
system.db.CdbCommand.query(SELECT * FROM `lime_questions` `t` WHERE `t`.qid=48 AND `t`.language='fr' LIMIT 1) 1 0.000170.000170.000170.00017
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_surveys_languagesettings`) 1 0.000140.000140.000140.00014
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_surveys`) 1 0.000140.000140.000140.00014
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_question_attributes`) 1 0.000130.000130.000130.00013
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_plugins`) 1 0.000110.000110.000110.00011
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_template_configuration`) 1 0.000100.000100.000100.00010
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_surveys_groups`) 1 0.000100.000100.000100.00010
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_survey_352811`) 1 0.000100.000100.000100.00010
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_permissions`) 1 0.000100.000100.000100.00010
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_questions`) 1 0.000090.000090.000090.00009
system.db.CdbCommand.query(SHOW CREATE TABLE `lime_settings_global`) 1 0.000090.000090.000090.00009

```