

CHttpException

We are sorry but you don't have permissions to do this.

/var/www/html/survey/application/controllers/survey/index.php(251)

```

239     if ($this->surveyCantBeViewedWithCurrentPreviewAccess($surveyid, $isSurveyActive, $surveyExists)) {
240         $bPreviewRight = $this->userHasPreviewAccessSession($surveyid);
241
242         if ($bPreviewRight === false) {
243             $event = new PluginEvent('onSurveyDenied');
244             $event->set('surveyId', $surveyid);
245             $event->set('reason', 'noPreviewPermission');
246
247             App()->getPluginManager()->dispatchEvent($event);
248             if (Permission::model()->getUserId()) {
249                 throw new CHttpException(403, gT("We are sorry but you don't have permissions to do this.", 'unescaped'));
250             }
251             throw new CHttpException(401, gT("We are sorry but you don't have permissions to do this.", 'unescaped'));
252         }
253     }
254
255     // TODO can this be moved to the top?
256     // (Used to be global, used in ExpressionManager, merged into amVars. If not filled in === '')
257     // can this be added in the first computation of $redata?
258     if (isset($_SESSION['survey_' . $surveyid]['srid'])) {
259         $saved_id = $_SESSION['survey_' . $surveyid]['srid'];
260     }
261
262     // recompute $redata since $saved_id used to be a global
263     $redata = compact(array_keys(get_defined_vars()));

```

Stack Trace

#0 /var/www/html/survey/application/controllers/survey/index.php(22): **Index->action()**

```

17     public $oTemplate;
18
19     public function run()
20     {
21         useFirebug();
22         $this->action();
23     }
24
25     public function action()
26     {
27         global $surveyid;

```

#1 /var/www/html/survey/vendor/yiisoft/yii/framework/web/actions/CAction.php(76): **Index->run()**

```

71     {
72         $method=new ReflectionMethod($this, 'run');
73         if($method->getNumberOfParameters()>0)
74             return $this->runWithParamsInternal($this, $method, $params);
75
76         $this->run();
77         return true;
78     }
79
80     /**
81     * Executes a method of an object with the supplied named parameters.

```

#2 /var/www/html/survey/vendor/yiisoft/yii/framework/web/CController.php(308): **Action->runWithParams()**

```

303     {
304         $priorAction=$this->_action;
305         $this->_action=$action;
306         if($this->beforeAction($action))
307         {
308             if($action->runWithParams($this->getActionParams())===false)
309                 $this->invalidActionParams($action);
310             else
311                 $this->afterAction($action);

```

```

312     }
313     $this->_action=$priorAction;

```

#3 /var/www/html/survey/vendor/yiisoft/yii/framework/web/CController.php(286): **CController->runAction()**

```

281     * @see runAction
282     */
283     public function runActionWithFilters($action,$filters)
284     {
285         if(empty($filters))
286             $this->runAction($action);
287         else
288         {
289             $priorAction=$this->_action;
290             $this->_action=$action;
291             CFilterChain::create($this,$action,$filters)->run();

```

#4 /var/www/html/survey/vendor/yiisoft/yii/framework/web/CController.php(265): **CController->runActionWithFilters()**

```

260     {
261         if(($parent=$this->getModule())===null)
262             $parent=Yii::app();
263         if($parent->beforeControllerAction($this,$action))
264         {
265             $this->runActionWithFilters($action,$this->filters());
266             $parent->afterControllerAction($this,$action);
267         }
268     }
269     else
270         $this->missingAction($actionID);

```

#5 /var/www/html/survey/vendor/yiisoft/yii/framework/web/CWebApplication.php(282): **CController->run()**

```

277     {
278         list($controller,$actionID)=$ca;
279         $oldController=$this->_controller;
280         $this->_controller=$controller;
281         $controller->init();
282         $controller->run($actionID);
283         $this->_controller=$oldController;
284     }
285     else
286         throw new CHttpException(404,Yii::t('yii','Unable to resolve the request "{route}".',
287             array('{route}'=>$route===''?$this->defaultController:$route)));

```

#6 /var/www/html/survey/vendor/yiisoft/yii/framework/web/CWebApplication.php(141): **CWebApplication->runController()**

```

136         foreach(array_splice($this->catchAllRequest,1) as $name=>$value)
137             $_GET[$name]=$value;
138     }
139     else
140         $route=$this->getUrlManager()->parseUrl($this->getRequest());
141     $this->runController($route);
142 }
143
144 /**
145  * Registers the core application components.
146  * This method overrides the parent implementation by registering additional core components.

```

#7 /var/www/html/survey/vendor/yiisoft/yii/framework/base/CApplication.php(185): **CWebApplication->processRequest()**

```

180     public function run()
181     {
182         if($this->hasEventHandler('onBeginRequest'))
183             $this->onBeginRequest(new CEvent($this));
184         register_shutdown_function(array($this,'end'),0,false);
185         $this->processRequest();
186         if($this->hasEventHandler('onEndRequest'))
187             $this->onEndRequest(new CEvent($this));
188     }
189
190     /**

```

#8 /var/www/html/survey/index.php(192): **CApplication->run()**

```

187     require_once APPPATH . 'core/LSYii_Application' . EXT;
188

```

```
189 $config = require_once(APPPATH . 'config/internal' . EXT);
190
191 Yii::$enableIncludePath = false;
192 Yii::createApplication('LSYii_Application', $config)->run();
193
194 /* End of file index.php */
195 /* Location: ./index.php */
```

2023-03-21 19:48:40 Apache/2.4.54 (Ubuntu) [Yii Framework](#)/1.1.26