

## Exception

Something is wrong with your random generator.

**C:\Apache24\limesurveydev\application\controllers\admin\tokens.php  
(949)**

```
937
938             $token->firstname =
str_replace('{TOKEN_COUNTER}', $newDummyToken, $token-
>firstname);
939             $token->lastname =
str_replace('{TOKEN_COUNTER}', $newDummyToken, $token-
>lastname);
940             $token->email =
str_replace('{TOKEN_COUNTER}', $newDummyToken, $token-
>email);
941
942             $attempts = 0;
943             do {
944                 $token->token =
Token::generateRandomToken($iTokenLength);
945                 $attempts++;
946             } while (isset($existingtokens[$token-
>token]) && $attempts < 50);
947
948             if ($attempts == 50) {
949                 throw new Exception('Something is
wrong with your random generator.');
```

```

954             $newDummyToken++;
955         }
956         $aData['thissurvey'] =
getSurveyInfo($iSurveyId);
957         $aData['surveyid'] = $iSurveyId;
958         if (!$invalidtokencount) {
959             $aData['success'] = true;
960             Yii::app()->session['flashmessage'] =
gT("New dummy participants were added.");
961
//admin/tokens/sa/browse/surveyid/652779//

```

## Stack Trace

```
#0    unknown(0): tokens->addDummies(962758, "add")
```

```
+
```

```
-
```

```
C:\Apache24\limesurveydev\framework\web\actions\CAction.php(109):
ReflectionMethod->invokeArgs(tokens, array(962758, "add"))
```

```

104             elseif($param->isDefaultValueAvailable())
105                 $ps[]=$param->getDefaultValue();
106             else
#1    107                 return false;
108         }
109         $method->invokeArgs($object,$ps);
110         return true;
111     }
112 }

```

+

-

C:\Apache24\limesurveydev\application\core\Survey\_Common\_Action.php(83): **CAction->runWithParamsInternal**(tokens, ReflectionMethod, array("surveyid" => 962758, "subaction" => "add", "sa" => "adddummies", "iSurveyId" => 962758, ...))

```
#2 78         $oMethod = new ReflectionMethod($this, $sDefault);
79     }
80
81     // We're all good to go, let's execute it
82     // runWithParamsInternal would automatically get the
parameters of the method and populate them as required with the params
83     return parent::runWithParamsInternal($this, $oMethod,
$params);
84 }
85
86 /**
87  * Some functions have different parameters, which are just an
alias of the
88  * usual parameters we're getting in the url. This function
just populates
```

+

-

C:\Apache24\limesurveydev\framework\web\CController.php(308): **Survey\_Common\_Action->runWithParams**(array("surveyid" => 962758, "subaction" => "add", "sa" => "adddummies", "iSurveyId" => 962758, ...))

```
#3 303     {
304         $priorAction=$this->_action;
305         $this->_action=$action;
306         if($this->beforeAction($action))
307         {
```

```

308         if($action->runWithParams($this-
>getActionParams())===false)
309             $this->invalidActionParams($action);
310         else
311             $this->afterAction($action);
312     }
313     $this->_action=$priorAction;

```

+  
-

C:\Apache24\limesurveydev\framework\web\CController.php(286): **CController->runAction**(tokens)

#4

```

281     * @see runAction
282     */
283     public function runActionWithFilters($action,$filters)
284     {
285         if(empty($filters))
286             $this->runAction($action);
287         else
288         {
289             $priorAction=$this->_action;
290             $this->_action=$action;
291             CFilterChain::create($this,$action,$filters)->run();

```

+  
-

#5

C:\Apache24\limesurveydev\framework\web\CController.php(265): **CController->runActionWithFilters**(tokens, array())

```

260     {
261         if(($parent=$this->getModule())===null)

```

```
262         $parent=Yii::app();
263         if($parent->beforeControllerAction($this,$action))
264         {
265             $this->runActionWithFilters($action,$this->filters());
266             $parent->afterControllerAction($this,$action);
267         }
268     }
269     else
270         $this->missingAction($actionID);
```

+  
-

C:\Apache24\limesurveydev\application\controllers\AdminController.php(158):  
**CController->run("tokens")**

```
153             $this->
154             >redirect(array('/admin/authentication/sa/login'));
155         }
156     }
#6 157
158     return parent::run($action);
159 }
160
161 /**
162  * Routes all the actions to their respective places
163  *
```

#7  
+  
-

C:\Apache24\limesurveydev\framework\web\CWebApplication.php(282):  
**AdminController->run**("tokens")

```
277     {
278         list($controller,$actionID)=$ca;
279         $oldController=$this->_controller;
280         $this->_controller=$controller;
281         $controller->init();
282         $controller->run($actionID);
283         $this->_controller=$oldController;
284     }
285     else
286         throw new CHttpException(404,Yii::t('yii','Unable to
resolve the request "{route}".'),
287             array('{route}'=>$route===''?>defaultController:$route));
```

+  
-

C:\Apache24\limesurveydev\framework\web\CWebApplication.php(141):  
**CWebApplication->runController**("admin/tokens/sa/adddummies")

#8

```
136         foreach(array_splice($this->catchAllRequest,1) as
$name=>$value)
137             $_GET[$name]=$value;
138     }
139     else
140         $route=$this->getUrlManager()->parseUrl($this-
>getRequest());
141     $this->runController($route);
142 }
143
144 /**
```

```
145     * Registers the core application components.
146     * This method overrides the parent implementation by
registering additional core components.
```

```
+
-
```

```
C:\Apache24\limesurveydev\framework\base\CApplication.php(185): CWebApplication-
>processRequest()
```

```
#9 180     public function run()
181     {
182         if($this->hasEventHandler('onBeginRequest'))
183             $this->onBeginRequest(new CEvent($this));
184         register_shutdown_function(array($this,'end'),0,false);
185         $this->processRequest();
186         if($this->hasEventHandler('onEndRequest'))
187             $this->onEndRequest(new CEvent($this));
188     }
189
190     /**
```

```
+
-
```

```
C:\Apache24\limesurveydev\index.php(194): CApplication->run()
```

```
#10 189 require_once APPPATH . 'core/LSYii_Application' . EXT;
190
191 $config = require_once(APPPATH . 'config/internal' . EXT);
192
193 Yii::$enableIncludePath = false;
194 Yii::createApplication('LSYii_Application', $config)->run();
```

```
195
196 /* End of file index.php */
197 /* Location: ./index.php */
```

---

2018-09-12 15:29:11 Apache/2.4.33 (Win64) OpenSSL/1.1.0h PHP/7.2.7 [Yii Framework](#)/1.1.19